

2014-15



"Like us on Facebook"



CENTRAL SERVICE & SUPPLY, INC.

4219 E. 50th St.
Des Moines, IA 50317
800-247-2400



Tire Chains



Industrial Chains



Chain Accessories



Toll Free: **800-247-2400**
www centralsands.com



Truck & SUV TIRE CHAIN FIT CHART

TERMS: 1% - Ten (10) Days.
NET 30 Days.

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY	
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm

15 Inch Rims

H78-15ST	----	----	2211R	----	2811R	----	2011	----	----	----		
H78-15LT	----	----	2216R	----	2816R	----	2016	----	----	----		
LR78-15	----	----	2211R	----	2811R	----	2011	----	----	----		
NR78-15	2524	----	2221R	----	2821R	4821R	2021	----	2437	4412		
PR78-15	----	----	3227R	----	----	----	3027	----	----	----		
QR78-15	----	----	3231R	----	----	----	----	----	----	----		
6.70-15LT	----	----	2211R	----	2811R	----	2011	----	----	----		
7.00-15LT	2519	2318	2211R	----	2811R	----	2011	----	----	----		
7.00-15TR	----	----	2219R	4219R	2819R	4819R	2019	----	2435	----		
7.50-15LT	2519	----	2219R	4219R	2819R	4819R	2019	----	2435	----		
7.50-15TR	----	----	2221R	4221	2821R	4821R	2021	----	2435	----		
8.25-15LT	----	----	3210R	----	----	----	3010	----	----	----		
8.25-15TR	----	----	2228R	4231R	2828R	----	2028	----	----	----		
9.00-15TR	----	----	2237R	----	----	----	2037	----	2435	----		
10-15LT	----	----	3210R	----	----	----	3010	----	2441	4435		
10.00-15TR	----	----	2239R	----	2839R	----	2039	----	2441	4435		
11-15LT	----	----	3227R	----	----	----	3027	----	----	----		
11.00-15TR	----	----	2251R	----	2851R	4851R	----	----	----	----		
12-15LT	----	----	3229R	----	----	----	3029	----	----	----		
P215/75R15	----	1550	2211R	----	2811R	----	2011	----	----	----		
P225/75R15	----	1553	2216R	----	2816R	----	2016	----	----	----		
P235/75R15	2519	2319	2216R	----	2816R	----	2016	----	----	----		
P245/65R15	----	----	2229R	----	2829R	----	2029	----	----	----		
P245/70R15	----	2318	2229R	----	2829R	----	2029	----	2437	4412		
P255/70R15	2517	2319	2229R	----	2829R	----	2029	----	2437	4412		
P255/75R15	2521	2321	----	----	----	----	----	----	----	----		
P265/70R15	2517	2323	2229R	----	2829R	----	2029	----	----	----		
P265/75R15	----	2321	2229R	----	2829R	----	2029	----	----	----		
P275/60R15	2517	2319	2219R	----	2819R	----	2019	----	2437	----		
P315/70R15	----	----	3229R	----	----	----	3029	----	----	----		
195/75R15LT	----	----	2211R	----	2811R	----	2011	----	----	----		
215/75R15LT	----	1550	2216R	----	2816R	----	2016	----	----	----		
235/75R15LT	2518	2319	2219R	----	2819R	----	2019	----	2435	----		
245/70R15LT	----	----	2219R	----	2819R	----	2019	----	----	----		
245/75R15LT	----	----	2219R	----	2819R	----	2019	----	----	----		
245/85R15LT	----	2324	----	----	----	----	----	----	----	----		
255/65R15LT	----	----	----	----	----	----	----	----	2437	----		
255/75R15LT	----	2321	2229R	----	2829R	----	2029	----	----	----		
265/70R15LT	----	2317	3210R	----	----	----	3010	----	----	----		
265/75R15LT	----	2321	3210R	----	----	----	3010	----	2437	----		
275/60R15LT	----	----	2221R	----	2821R	----	2021	----	2437	----		
305/50R15	----	----	3210R	----	----	----	3010	----	----	----		
325/60R15	----	----	3229R	----	----	----	3029	----	----	----		
29X9.50-15	----	----	2229R	----	2829R	----	2029	----	----	----		
30X9.50-15LT	2517	2319	2216R	----	2816R	----	2016	----	2437	4412		
31X9.50R15	2518	----	----	----	----	----	----	----	----	----		
31X10.5-15LT	2524	2324	3210R	----	----	----	3010	----	2437	4412		

Special Order



TRUCK

Have you ever experienced warm tires melting the hard pak or ice?
Have you ever experienced slipping while on a dock ramp on a slight incline?
Have you ever had to pay for an expensive tow truck just to be towed a few feet?

Then it's time you purchased

EMERGENCY TIRE CHAINS

for your truck and car! Fits tire sizes 16" through 24.5"



PASSENGER CAR

TIRE CHAIN FIT CHART **Truck & SUV**



THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY	
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm

15 Inch Rims Continued

31X11.5-15LT	----	2324	3227R	----	----	----	3027	----	----	----	Order
31X13.50-15	----	----	3229R	----	----	----	3029	----	----	----	
32X11.5-15LT	2526	2326	3227R	----	----	----	3027	----	----	----	
32X12.5X15	----	----	3229R	----	----	----	3029	----	----	----	
33X9.50-15LT	2526	2326	3227R	----	----	----	3027	----	----	----	
33X10.5X15	----	----	3210R	----	----	----	3010	----	2439	----	
33X12.50R15	----	----	3229R	----	----	----	3029	----	----	----	
33X13.5-15	----	----	3227R	----	----	----	3027	----	----	----	
33X14X15	----	----	3229R	----	----	----	3029	----	----	----	
33X14.5-15	----	2337	3229R	----	----	----	3029	----	----	----	
34X9.50-15	----	----	3227R	----	----	----	3027	----	----	----	
35X12.5X15	2536	----	3229R	----	----	----	----	----	----	----	
35X13.5-15	----	----	3231R	----	----	----	----	----	----	----	
35X14-15	----	----	3235R	----	----	----	----	----	----	----	
35X14.5-15	----	2337	3229R	----	----	----	3029	----	----	----	
36X12.50-15	----	----	3235R	----	----	----	----	----	----	----	
37X13-15	----	----	3231R	----	----	----	----	----	----	----	
37X13.5-15	2539	----	3235R	----	----	----	----	----	----	----	
37X14.5-15	----	----	3251R	----	----	----	----	----	----	----	
38.5X16-15	----	----	3265R	----	----	----	----	----	----	----	
39.5X15-15	----	----	3251R	----	----	----	----	----	----	----	
39.5X18-15	----	----	3265R	----	----	----	----	----	----	----	
40X17-15	----	----	3251R	----	----	----	----	----	----	----	

16-16.5 Inch Rims

LR78-16LT	----	----	2221R	----	2821R	4821R	2021	----	2437	4412	Special
PR78-16	----	----	3227R	----	----	----	3027	----	----	----	
QR78-16	----	----	2239R	----	2839R	----	2039	----	----	----	
6.50-16LT	----	1553	2216R	----	2816R	----	2016	----	----	----	
7.00-16LT	----	----	2219R	4219R	2819R	4819R	2019	----	2435	----	
7.50-16LT	2524	2324	2221R	----	2821R	4821R	2021	----	2437	4412	
9.00-16LT	----	----	2237R	----	----	----	2037	----	----	----	
11L16	----	----	3229R	----	----	----	3029	----	----	----	
P225/70R16	----	1555	2216R	----	2816R	----	2016	----	----	----	
P225/75R16	2519	2318	2216R	----	2816R	----	2016	----	----	----	
P235/70R16	----	2319	2229R	----	2829R	----	2029	----	----	----	
P245/70R16	2518	2319	2229R	----	2829R	----	2029	----	----	----	
P245/75R16	2524	2323	2229R	----	2829R	----	2029	----	----	----	
P255/65R16	2517	2319	2229R	----	2829R	----	2029	----	----	----	
P255/70R16	2524	2324	2229R	----	2829R	----	2029	----	----	----	
P265/70R16	2524	2324	3210R	----	----	----	3010	----	----	----	
P265/75R16	2526	2326	3210R	----	----	----	3010	----	----	----	
P275/60R16	----	----	2229R	----	2829R	----	2029	----	----	----	
P275/70R16	----	----	2228R	----	2828R	----	2028	----	----	----	
P285/60R16	----	----	3327R	----	----	----	3027	----	----	----	
205R16	----	----	2216R	----	2816R	----	2016	----	----	----	
215/80R16LT	2517	----	2219R	4219R	2819R	4819R	2019	----	----	----	
215/85R16LT	2517	2317	2219R	4219R	2819R	4819R	2019	----	2435	----	
225/75R16LT	----	2319	2216R	----	2816R	----	2016	----	2435	----	
235/70R16LT	2518	----	2229R	----	2829R	----	2029	----	2435	----	
235/75R16LT	----	2319	2219R	----	2819R	----	2019	----	----	----	
235/80R16	----	2319	2229R	----	2829R	----	2029	----	----	----	
235/85R16LT	2521	2321	2221R	----	2821R	4821R	2021	----	2437	4412	
245/70R16LT	----	----	2219R	----	2819R	----	2019	----	2435	----	
245/75R16LT	2524	2323	2229R	----	2829R	----	2029	----	2439	----	
245/85R16LT	----	----	3210R	----	----	----	3010	----	----	----	
255/65R16LT	2517	2319	2219R	----	2819R	----	2019	----	----	----	
255/70R16LT	2524	2323	2229R	----	2829R	----	2029	----	----	----	
255/75R16LT	----	----	2216R	----	2816R	----	2016	----	----	----	



Truck & SUV TIRE CHAIN FIT CHART

TERMS: 1% - Ten (10) Days.
NET 30 Days.

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY	
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm

16-16.5 Inch Rims Continued

255/85R16LT	2526	2326	2229R	4231R	2828R	----	2021	----	----	----	Special Order
265/50R16LT	----	----	2229R	----	2829R	----	2029	----	----	----	
265/60R16LT	----	----	3210R	----	2829R	----	2029	----	----	----	
265/70R16LT	2524	2324	3210R	----	----	----	3010	----	----	----	
265/75R16LT	2526	2326	3210R	----	----	----	3010	----	----	----	
265/80R16LT	----	----	2229R	----	----	----	3010	----	----	----	
275/60R16LT	----	----	3227R	----	2829R	----	2029	----	----	----	
275/65R16LT	----	----	3210R	----	----	----	3027	----	----	----	
275/70R16LT	----	2324	3227R	----	----	----	3010	----	----	----	
285/60R16LT	----	----	3229R	----	----	----	3027	----	----	----	
285/70R16LT	----	----	3228R	----	----	----	3029	----	----	----	
285/75R16LT	2533	----	3210R	----	----	----	----	----	2440	----	
295/50R16LT	----	----	3229R	----	----	----	3010	----	----	----	
295/75R16LT	----	----	3229R	----	----	----	3029	----	----	----	
305/70R16LT	2533	2533	3229R	----	----	----	3029	----	----	----	
305/85R16LT	----	----	3229R	----	----	----	3029	----	----	----	
315/75R16LT	2536	2337	3251R	----	----	----	2037	----	2441	----	
325/80R16	----	----	3231R	----	----	----	----	----	----	----	
345/55R16LT	----	----	----	----	----	----	----	----	----	----	
365/65R16LT	2539	----	2219R	----	----	----	----	----	----	----	
8.75-16LT	----	----	2229R	4219R	2819R	4819R	2019	----	----	----	
30X9.50-16	----	----	2229R	----	2829R	----	2029	----	----	----	
31X11.5-16	2524	----	3228R	----	2829R	----	2029	----	----	----	
31X12.5-16	----	----	2229R	----	----	----	----	----	----	----	
32X9-16LT	----	----	2229R	----	2829R	----	2029	----	----	----	
32X10.00-16LT	2517	----	3227R	----	2829R	----	2029	----	----	----	
32X11.5-16LT	----	----	3227R	----	----	----	3027	----	----	----	
33X13.5-16	2533	----	3227R	----	----	----	3027	----	----	----	
34X9X16	----	----	3229R	----	----	----	3027	----	----	----	
35X12.5X16LT	----	----	3229R	----	----	----	2037	----	----	----	
35X13.5-16	----	2335	3235R	----	----	----	3029	----	----	----	
35X14-16	----	----	3229R	----	----	----	----	----	----	----	
36X13-16	----	----	3231R	----	----	----	3029	----	----	----	
37X12.5-16	----	----	3231R	----	----	----	----	----	----	----	
38X13X16	----	----	3251R	----	----	----	----	----	----	----	
38X14.5-16	----	----	3265R	----	----	----	----	----	----	----	
38.5X16-16	----	----	3265R	----	----	----	----	----	----	----	
39.5X15-16	----	----	2216R	----	----	----	----	----	----	----	
8.00-16.5	----	1550	2219R	----	2816R	----	2016	----	----	----	
8.75-16.5LT	----	2318	2221R	4219R	2819R	4819R	2019	----	2435	----	
9.50-16.5LT	2517	2317	2229R	----	2821R	4821R	2021	----	2437	4412	
10-16.5LT	----	----	3227R	----	2829R	----	2029	----	----	----	
12-16.5LT	----	----	3227R	----	----	----	3027	----	2437	----	
31X10.5-16.5LT	----	----	3229R	----	----	----	3027	----	----	----	
32X12.5-16.5LT	----	----	3229R	----	----	----	3029	----	----	----	
33X12.50R16.5	----	----	3229R	----	----	----	3029	----	----	----	
33X15.5-16.5	----	----	3235R	----	----	----	3029	----	----	----	
36X12.50-16.5	----	----	3235R	----	----	----	----	----	----	----	
36X14-16.5	----	----	3235R	----	----	----	----	----	----	----	
37X12.5-16.5	----	----	3231R	----	----	----	----	----	----	----	
38X12.5X16.5	----	----	3235R	----	----	----	----	----	----	----	
38X15.5R16.5	----	----	3251R	----	----	----	----	----	----	----	
39.5X15-16.5	----	----	3265R	----	----	----	----	----	----	----	
39.5X18-16.5	----	----	3251R	----	----	----	----	----	----	----	
40X17-16.5	----	----	3259R	----	----	----	----	----	----	----	
42X15X16.5	----	----	----	----	----	----	----	----	----	----	

TIRE CHAIN FIT CHART **Truck & SUV**



THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY	
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm

17-17.5 Inch Rims

7.00-17LT	----	----	2221R	----	2821R	4821R	2021	----	2437	4412	Special Order
7.50-17	----	----	2214R	----	----	----	2014	----	2439	----	
P235/60R17	----	2318	2216R	----	2816R	----	2016	----	----	----	
P235/65R17	----	2319	2216R	----	2816R	----	2016	----	----	----	
P235/70R17	----	2317	2219R	4219R	2819R	4819R	2019	----	----	----	
P235/75R17	----	2323	2229R	----	2829R	----	2029	----	----	----	
P245/55R17	----	----	2229R	----	2829R	----	2029	----	----	----	
P245/65R17	----	2317	2229R	----	2829R	----	2029	----	----	----	
P245/70R17	----	2323	2229R	----	2829R	----	2029	----	----	----	
P255/55R17	----	----	2229R	----	2829R	----	2029	----	----	----	
P255/60R17	----	2317	2229R	----	2829R	----	2029	----	----	----	
P255/65R17	----	2323	2229R	----	2829R	----	2029	----	----	----	
P255/70R17	2524	2321	3210R	----	----	----	3010	----	----	----	
P255/75R17	2526	2326	----	----	----	----	----	----	----	----	
P265/65R17	2526	2324	3210R	----	----	----	3010	----	----	----	
P265/70R17	2526	2326	3210R	----	----	----	3010	----	----	----	
P275/60R17	----	2324	2229R	----	2829R	----	3010	----	----	----	
225/75R17LT	----	2323	2229R	----	2829R	----	2029	----	----	----	
235/65R17	2517	2319	2216R	----	2816R	----	2019	----	----	----	
235/80R17	2524	2321	3210R	----	----	----	3010	----	2437	4412	
245/65R17	----	2317	2229R	----	2829R	----	2029	----	----	----	
245/70R17LT	----	----	2214R	----	----	----	2014	----	----	----	
245/75R17LT	2521	2321	3210R	----	----	----	3010	----	----	----	
255/60R17	----	2317	3210R	----	----	----	3010	----	----	----	
265/70R17LT	2526	2326	3210R	----	----	----	3010	----	----	----	
275/55R17	----	2323	----	----	----	----	2029	----	----	----	
275/60R17	----	2324	2229R	----	2829R	----	3010	----	----	----	
275/65R17	2526	2326	3210R	----	----	----	3010	----	----	----	
275/70R17	----	----	3229R	----	----	----	3029	----	----	----	
285/60R17	----	2326	3227R	----	----	----	3027	----	----	----	
285/70R17	2533	2327	3227R	----	----	----	3027	----	2440	----	
285/75R17LT	----	2335	3229R	----	----	----	3029	----	----	----	
295/70R17LT	2536	----	3229R	----	----	----	3029	----	----	----	
315/70R17LT	2536	----	3231R	----	----	----	----	----	----	----	
305/45R17	----	----	3227R	----	----	----	3027	----	----	----	
305/70R17	2536	----	3229R	----	----	----	3029	----	----	----	
325/70R17	----	----	3231R	----	----	----	----	----	----	----	
345/55R17	----	----	3231R	----	----	----	----	----	----	----	
355/70R17LT	----	----	3235R	----	----	----	----	----	----	----	
33X12.5-17	----	2335	3229R	----	----	----	3029	----	----	----	
35X12.5-17	----	2337	3231R	----	----	----	----	----	----	----	
37X12.5-17	----	----	3231R	----	----	----	----	----	----	----	
37X13.5-17	----	----	3235R	----	----	----	----	----	----	----	
7-17.5LT	----	----	2211R	----	2811R	----	2011	----	----	----	
8-17.5	2517	2317	2219R	4219R	2819R	4819R	2019	----	2435	----	
8.50-17.5	----	----	2219R	4219R	2819R	4819R	2019	----	----	----	
9R17.5	----	----	2237R	----	----	----	2037	----	----	----	
10R17.5	----	----	2237R	----	----	----	2037	----	----	----	
11R17.5	----	----	2239R	----	2839R	----	2039	----	----	----	
14-17.5	----	----	3235R	----	----	----	----	----	----	----	
205/60R17.5	----	----	2209R	----	2809R	----	2009	----	----	----	
215/70R17.5	----	----	2219R	4219R	2819R	4819R	2019	----	2435	----	
215/75R17.5	2517	----	2221R	----	2821R	4821R	2021	----	2437	4412	
225/70R17.5	----	----	2214R	----	----	----	2014	----	2439	----	
235/75R17.5	2521	----	3210R	----	----	----	3010	----	2441	4435	
245/70R17.5	----	----	3210R	----	----	----	3010	----	----	----	



Truck & SUV TIRE CHAIN FIT CHART

TERMS: 1% - Ten (10) Days.
NET 30 Days.

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY				
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm	Singles 8mm	Dual - Triples 7mm Regular / Cam	Dual - Triples 8 mm Regular / Cam

18 Inch Rims

7.00-18	----	----	2214R	----	----	----	2014	----	2439	----					
7.50-18	----	----	----	----	----	----	2033	----	----	----					
10.50/80-18	----	----	3229R	----	----	----	3029	----	----	----					
P235/50R18	----	----	2219R	----	2819R	----	2019	----	----	----					
P255/45R18	----	----	2219R	----	2819R	----	2019	----	----	----					
P255/55R18	----	2317	2229R	----	2829R	----	2029	----	----	----					
P255/70R18	----	2326	3210R	----	----	----	3010	----	----	----					
P265/60R18	----	2321	3227R	----	----	----	3027	----	----	----					
P265/65R18	----	2326	3210R	----	----	----	3010	----	----	----					
P275/60R18	----	2326	3228R	----	----	----	----	----	----	----					
P295/45R18	----	2324	----	----	----	----	3010	----	----	----					
215/55R18	----	1553	----	----	----	----	2016	----	----	----					
225/55R18	----	1555	----	----	----	----	2016	----	----	----					
225/65R18	2517	2317	2219R	----	2819R	----	2019	----	----	----					
235/60R18	----	2319	2219R	----	2819R	----	2019	----	----	----					
235/65R18	----	2323	2219R	----	2819R	----	2019	----	----	----					
245/60R18	----	2319	----	----	----	----	----	----	----	----					
255/50R18	----	2319	----	----	----	----	----	----	----	----					
255/55R18	----	----	2229R	----	2829R	----	2029	----	----	----					
255/60R18	----	2324	2229R	----	2829R	----	2029	----	----	----					
255/65R18	----	2326	3210R	----	----	----	3010	----	----	----					
255/70R18	----	2326	3210R	----	----	----	3010	----	----	----					
265/70R18	----	2327	3228R	----	----	----	----	----	----	----					
275/40ZR18	----	----	----	----	----	----	2029	----	----	----					
275/55R18	----	2324	3210R	----	----	----	3010	----	----	----					
275/65R18	----	2327	3228R	----	----	----	----	----	----	----					
275/70R18	2533	----	3228R	----	----	----	----	----	----	----					
285/60R18	----	2327	3227R	----	----	----	3027	----	----	----					
285/65R18	2533	2327	3227R	----	----	----	3029	----	----	----					
285/75R18LT	2536	2335	3229R	----	----	----	3029	----	----	----					
305/60R18	----	----	3231R	----	----	----	----	----	----	----					
305/70R18LT	----	----	3231R	----	----	----	----	----	----	----					
325/60R18	----	2337	3229R	----	----	----	3029	----	----	----					
325/65R18	----	----	3231R	----	----	----	----	----	----	----					
335/80R18	----	----	3259R	----	----	----	----	----	----	----					
355/65R18	----	----	3251R	----	----	----	----	----	----	----					
33X12.5-18	----	2335	3229R	----	----	----	3029	----	----	----					
33X13-18	----	2337	3229R	----	----	----	3029	----	----	----					
35X12.5-18	----	----	3231R	----	----	----	----	----	----	----					
38X15.5-18	----	----	3265R	----	----	----	----	----	----	----					

Special Order

19-19.5 Inch Rims

235/50R19	----	2317	----	----	----	----	2029	----	----	----					
235/55R19	----	2317	2229R	----	2829R	----	2029	----	----	----					
245/45ZR19	----	1555	----	----	----	----	2016	----	----	----					
245/55R19	----	2323	2219R	----	2819R	----	2019	----	----	----					
255/50R19	----	2323	----	----	----	----	2029	----	----	----					
255/55R19	----	2324	----	----	----	----	----	----	----	----					
P255/60R19	----	2326	----	----	----	----	3010	----	----	----					
265/50R19	----	2324	3210R	----	----	----	3010	----	----	----					
275/40ZR19	----	----	----	----	----	----	2029	----	----	----					
275/45R19	----	----	----	----	----	----	3010	----	----	----					
275/55R19	----	2326	3210R	----	----	----	3010	----	----	----					
285/45R19	----	----	3227R	----	----	----	3027	----	----	----					
8-19.5	2526	2326	2214R	----	----	----	2014	----	2439	----					
15-19.5	----	----	3265R	----	----	----	----	----	----	----					
225/70R19.5	2526	----	3210R	----	----	----	3010	----	2439	----					
245/70R19.5	----	----	2228R	4231R	2828R	----	2028	----	2439	----					
265/70R19.5	----	----	----	----	----	----	2033	----	----	----					
285/70R19.5	----	----	3235R	----	----	----	2037	----	----	----					
445/65R19.5	----	----	3271R	----	----	----	3071	----	----	----					

Special Order

TIRE CHAIN FIT CHART **Truck & SUV**



THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY				
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm	Singles 8mm	Dual - Triples 7mm Regular / Cam	Dual - Triples 8 mm Regular / Cam

20-21 Inch Rims

6.5-20	----	----	----	----	----	----	2033	----	----	----					
7.00-20	----	----	----	----	----	----	2033	----	----	----					
7.50-20	----	----	2237R	----	----	----	2037	----	2441	4435					
8.25-20	----	----	2239R	----	2839R	----	2039	----	2441	4435					
9.00-20	----	----	2241R	4241R	2841R	----	2041	4041	2445	4437					
10.00-20	----	----	2245R	4245R	2845R	4845R	2045	4045	2448	4448					
11.00-20	----	----	2251R	----	2851R	4851R	----	----	2452	4461					
12.00-20	----	----	2255R	4255R	2855R	4855R	----	----	2486	4486					
13.00-20	----	----	2257R	4257R	----	----	----	----	----	----					
13/80R20	----	----	2255R	4255R	2855R	4855R	----	----	2486	4486					
14.00-20	----	----	----	----	2871R	----	----	----	----	----					
14/80R20	----	----	2257R	4257R	----	----	----	----	----	----					
235/55R20	----	2324	----	----	----	----	2029	----	----	----					
245/45R20	----	----	----	----	----	----	2029	----	----	----					
245/50R20	----	2323	----	----	----	----	2029	----	----	----					
255/45R20	----	----	----	----	----	----	2029	----	----	----					
255/50R20	----	2324	----	----	----	----	3010	----	----	----					
265/45R20	----	2323	----	----	----	----	2029	----	----	----					
265/50R20	----	2326	----	----	----	----	3010	----	----	----					
275/40R20	----	----	----	----	----	----	3010	----	----	----					
275/45R20	----	2324	----	----	----	----	3010	----	----	----					
275/55R20	2533	2327	2228R	----	2828R	----	3027	----	----	----					
P275/60R20	2533	----	2228R	----	2828R	----	2028	----	----	----					
275/60R20	2533	----	3227R	----	----	----	3027	----	----	----					
275/65R20LT	2536	2335	3229R	----	----	----	3029	----	----	----					
P285/50R20	----	2327	3227R	----	----	----	3027	----	----	----					
285/55R20LT	2537	2335	3229R	----	----	----	3029	----	----	----					
295/40R20	----	----	----	----	----	----	3010	----	----	----					
295/45R20	----	----	----	----	----	----	2028	----	----	----					
305/50R20	----	2335	3229R	----	----	----	3029	----	----	----					
305/55R20	2536	2337	3229R	----	----	----	3029	----	----	----					
325/60R20	2539	----	3231R	----	----	----	----	----	----	----					
355/60R20	----	----	3259R	----	----	----	----	----	----	----					
355/80R20	----	----	3255R	----	----	----	3055	----	----	----					
365/80R20	----	----	2257R	4257R	----	----	----	----	----	----					
32X11.50-20	2537	2335	3229R	----	----	----	3029	----	----	----					
33X12.5-20	2536	2335	3229R	----	----	----	3029	----	----	----					
34X10.5-20	2536	2335	----	----	----	----	----	----	----	----					
35X12.5-20	----	----	3231R	----	----	----	----	----	----	----					
37X13.50-20	----	----	3251R	----	----	----	----	----	----	----					
38X13.5-20	----	----	3259R	----	----	----	----	----	----	----					
38X15.5-20	----	----	3265R	----	----	----	----	----	----	----					
14.00R21	----	----	----	----	2871R	----	----	----	----	----					

Special Order

22-22.5 Inch Rims

265/40R22	----	----	----	----	----	----	3010	----	----	----					
285/45R22	----	2327	----	----	----	----	3029	----	----	----					
285/50R22	----	2335	3229R	----	----	----	3029	----	----	----					
305/40R22	----	2327	----	----	----	----	3029	----	----	----					
305/45R22	----	2335	----	----	----	----	3029	----	----	----					
325/50R22LT	----	----	3231R	----	----	----	----	----	----	----					
10.00-22	----	----	2249R	4249R	2849R	4849R	2049	4049	2452	4461					
11.00-22	----	----	2255R	4255R	2855R	4855R	----	----	2486	4486					
33X11.5-22	----	2335	3229R	----	----	----	3029	----	----	----					
35X12.5-22	----	----	3231R	----	----	----	----	----	----	----					
37X13.50-22	----	----	3251R	----	----	----	----	----	----	----					
40X15.50-22	----	----	----	----	----	----	----	----	----	----					
8-22.5	----	----	2237R	----	----	----	2037	----	----	----					
9-22.5	----	----	2239R	----	2839R	----	2039	----	2441	4435					
10-22.5	----	----	2241R	4241R	2841R	----	2041	4041	2445	4437					

Special Order



Truck & SUV TIRE CHAIN FIT CHART

TERMS: 1% - Ten (10) Days.
NET 30 Days.

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE		SQUARE STRAIGHT LINK ALLOY				
	Alpine Super Sport	Alpine Sport	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles Regular/Cam	Dual-Triples Regular/Cam	Singles	Dual-Triples	Singles	Dual-Triples	Singles 5.5mm	Singles 7mm	Singles 8mm	Dual - Triples 7mm Regular / Cam	Dual - Triples 8mm Regular / Cam

22-22.5 Inch Rims

11-22.5	----	----	2245R	4245R	2845R	4845R	2045	4045	2448	4448	Special Order				
12-22.5	----	----	2251R	----	2851R	4851R	2049	4049	2452	4461					
12.5-22.5	----	----	2251R	----	2851R	4851R	2049	4049	----	----					
13-22.5	----	----	3255R	----	----	----	3055	----	----	----					
15-22.5	----	----	3255R	----	----	----	3055	----	----	----					
1605-22.5	----	----	3271R	----	----	----	3071	----	----	----					
18-22.5	----	----	3261R	----	----	----	----	----	----	----					
235/80R22.5	----	----	2237R	----	----	----	2037	----	2441	4435					
245/75R22.5	----	----	2239R	----	2839R	----	2039	----	2441	4435					
255/70R22.5	----	----	2237R	----	----	----	2037	----	2441	4435					
255/80R22.5	----	----	2241R	4241R	2841R	----	2041	4041	2441	4435					
265/75R22.5	----	----	2241R	4241R	2841R	----	2041	4041	2445	4437					
275/70R22.5	----	----	2239R	----	2839R	----	2039	----	2448	4448					
275/80R22.5	----	----	2245R	4245R	2845R	4845R	2041	4041	2452	4461					
295/60R22.5	----	----	3231R	----	----	----	----	----	----	----					
295/75R22.5	----	----	2247R	4247R	2847R	----	2041	4041	2452	4461					
295/80R22.5	----	----	2251R	----	2851R	4851R	----	----	2470	4470					
305/70R22.5	----	----	2247R	4247R	2847R	----	2041	4041	----	----					
315/80R22.5	----	----	2255R	4255R	2855R	4855R	----	----	2486	4486					
285/65R22.5	----	----	3255R	----	----	----	3055	----	----	----					
425/65R22.5	----	----	3271R	----	----	----	3069	----	----	----					
445/50R22.5	----	----	3269R	----	----	----	3069	----	----	----					
445/65R22.5	----	----	3261R	----	----	----	----	----	----	----					
455/55R22.5	----	----	3269R	----	----	----	3069	----	----	----					

24-24.5 Inch Rims

11.00-24	----	----	----	----	----	----	----	----	2470	4470	Special Order				
12.00-24	----	----	2257R	4257R	----	----	----	----	----	----					
13.00-24	----	----	----	----	2871R	----	----	----	----	----					
14.00-24	----	----	2273R	----	2873R	----	----	----	----	----					
285/40R24	----	----	----	----	----	----	2033	----	----	----					
11-24.5	----	----	2249R	4249R	2849R	4849R	2049	4049	2452	4461					
12-24.5	----	----	2255R	4255R	2855R	4855R	----	----	2486	4486					
275/80R24.5	----	----	2247R	4247R	2847R	----	2045	4045	2452	4461					
285/75R24.5	----	----	2247R	4247R	2847R	----	2045	4045	2452	4461					

Fork Lift TIRE CHAINS

Tire Size	Stock No.
6.00-12	6012
6.50-10	6510
6.90-9	6909
7.00-12	7012

Tire Size	Stock No.
7.00-15	7015
7.50-10	7510
7.50-15	7515
8.25-15	8215



CENTRAL SERVICE & SUPPLY, INC.

TOLL FREE
800-247-2400



TOLL FREE - **800-247-2400** • Website - **www.centernalsands.com**

Snow Blower & Garden Tractor *TIRE CHAINS*

(Packed one pair per bag)



TERMS: 1% - Ten (10) Days. NET 30 Days.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more.
Less than 2,000 lbs. F.O.B. warehouse location.

Snow Blower & Garden Tractor Chains

Tire Sizes	2 Link Spacing		4 Link Spacing	
	Stock No.	Weight Per Pair	Stock No.	Weight Per Pair
10/10.5 X 2.75 10.25 X 3.25 10 X 3.50	3301G	3	-----	-
12 X 3	3308G	4	-----	-
4.10/3.50 X 4 3.40/3.00 X 5	7106G	3	-----	-
4.10/3.50 X 5 4.10/3.50 X 6 12 X 3.50 X 6 12.25 X 3.50 X 6	3302G	4	-----	-
5.30/4.50 X 6	3309G	7	-----	-
13 X 5 X 6	7129G	6	-----	-
4.00/4.80 X 8	1301G	11	-----	-
5.00/5.70 X 8	3303G	16	-----	-
16 X 6.50 X 8 15 X 6.00 X 6	3300G	12	-----	-
18 X 6.50 X 8	3312G	14	-----	-
18 X 8.50 X 8	3307G	15	3311G	10
18 X 9.50 X 8	3305G	16	3306G	10
20 X 10 X 8 20 X 10 X 10	7145G	20	5320G	13
20 X 8.00 X 10 20 X 8 X 8	1308G	19	5318G	11
6 X 12 23 X 7.50 X 12	5313G	19	5312G	11
8 X 12 23 X 8.50 X 12	4300G	22	4301G	13
12 X 12 26 X 12 X 12 27 X 12 X 12	5308G	30	5306G	18
23 X 9.50 X 12 23 X 10.50 X 12	5307G	25	5303G	15
24 X 12 X 12	7164G	25	-----	-
8 X 15 25 X 8.5 X 14 27 X 8.50 X 15	1307G	28	1309G	18
29 X 12 X 15	5323G	64	5316G	40
12.4-16 31 X 15.5 X 15 33 X 12.5 X 15	5324G	109	9100G	66
8 X 16	1311G	33	1310G	20

DUO Grip Tractor *TIRE CHAINS*

(Packed one pair per bag)



DUO Grip Tractor Chains

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-24 9.5-28 11.2-24	DUO214	110	8	DUO292
9.5-32 11.2-28 230/95R32 355/80R20	DUO226	124	9	DUO292
10.5/80-18 12-16.5 280/70R20 300/70R20 315/75D15	DUO225	88	6	DUO293
12.4/24	DUO229	130	9	DUO293
9.5-36 9.5-38 11.2-32 12.4-28	DUO218	143	10	DUO293
11.2-38 11.2-44 12.4-36 12.4-38 270/95R44	DUO232	172	12	DUO293
13.9/36 320/85R34	DUO242	150	10	DUO294
13.6-24 13.6-26 14.9-24	DUO240	141	9	DUO295
14.9-26	DUO250	156	10	DUO295
14.9-28 14.9-30	DUO252	173	11	DUO295
13.6-28 16.9-24 320/85R38 340/85R28 380/85R34	DUO260	160	10	DUO296
14.9-38 15.5-38 320/90R46	DUO254	194	12	DUO296
17.5-24 17.5L-24	DUO263	135	8	DUO297
16.9-26 16.9-28 420/85R28	DUO262	169	10	DUO297
16.9-32	DUO266	184	11	DUO297
16.9-34 230/95R44	DUO270	200	12	DUO297
18.4-16.1 21.5L-16.1	DUO264	132	7	DUO298
18.4-24 19.5L-24	DUO268	171	9	DUO298
16.9-30 18.4-26 18.4-28 18.4-30 540/65R30	DUO271	188	10	DUO298
550/65R25 600/65R28	DUO273	206	11	DUO298
18.4-34 480/85R34 600/65R25	DUO272	226	12	DUO298
16.9-38 18.4-38 20.8-34 380/90R50 420/80R46	DUO272	226	12	DUO298
460/85R34 480/80R38	DUO277	298	14	DUO298
18.4-42 18.4-46 380/90R54 480/80R46	DUO275	161	8	DUO299
21L-24	DUO276	259	13	DUO299
20.8-38	DUO276	259	13	DUO299
24.5-32 23.1-34 28.1-34 620/70R42 650/75R32	DUO282	252	12	DUO302



TOLL FREE 800-247-2400

Tire Sizes	Roadmaster	DUO Grip	Nu-Way	Grader	Reinforced Grader
7.2-24	0832	----	0732	----	----
8.3-24	0822	----	0732	----	----
9.5-16	0829	----	----	----	----
9.5-24	0832	DUO214	0732	----	----
9.5-28	0836	DUO214	0736	----	----
9.5-32	0838	DUO226	0738	----	----
9.5-36	0862	DUO218	----	----	----
9.5-38	0862	DUO218	----	----	----
10-16.5	0829	----	----	----	----
10.5/80-18	0822	DUO225	----	----	----
11-38	----	----	0766	----	----
11.2-24	0836	DUO214	0736	----	----
11.2-28	0838	DUO226	0738	----	----
11.2-32	----	DUO218	----	----	----
11.2-38	0862	DUO232	----	----	----
11.2-44	----	DUO232	0766	----	----
12-16.5	0822	DUO225	----	----	----
12.4-24	0838	DUO229	0752	----	----
12.4-28	0838	DUO218	0756	----	----
12.4-36	0862	DUO232	----	----	----
12.4-38	0862	DUO232	----	----	----
12.4-40	0866	----	0766	----	----
12.4-42	0866	----	0766	----	----
12.4-48	----	----	----	----	----
12.5/80-18	0832	----	0738	----	----
13.00-24	----	----	----	2612	2912
13.00-25	----	----	----	2612	2912
13.6-16	0850	----	----	----	----
13.6-24	0858	DUO240	0756	----	----
13.6-26	0858	DUO240	----	----	----
13.6-28	0859	DUO260	0759	----	----
13.6-36	0866	----	----	----	----
13.6-38	0866	----	0766	----	----
13.9-36	----	DUO242	----	----	----
14-17.5	0850	----	----	----	----
14.00-20	----	----	----	2612	2912
14.00-21	----	----	----	2612	2912
14.00-24	----	----	----	2615	2915
14.00-25	----	----	----	2615	2915
14.9-24	0859	DUO240	0772	----	----
14.9-26	0869	DUO250	----	----	----
14.9-28	0869	DUO252	0774	----	----
14.9-30	0876	DUO252	0777	----	----
14.9-38	----	DUO254	0779	----	----
14.9-46	0894	----	----	----	----
15-19.5	0836	----	----	----	----
15.5-25	----	----	----	2612	2912
15.5-38	0879	DUO254	0779	----	----
16.00-20	----	----	----	2624	----
16.00-21	----	----	----	2624	----
16.00-24	----	----	----	2627	2917
16.00-25	----	----	----	2627	2917
16.9-24	0874	DUO260	0774	----	----
16.9-26	0876	DUO262	0777	----	----
16.9-28	0876	DUO262	0777	----	----
16.9-30	0885	DUO271	0777	----	----
16.9-32	----	DUO266	----	----	----
16.9-34	0879	DUO270	0779	----	----
16.9-38	----	DUO272	0787	----	----
17.5-24	0874	DUO263	----	----	----
17.5L-24	0874	DUO263	----	----	----
17.5-25	----	----	----	2624	----
18.00-24	----	----	----	2636	----
18.00-25	----	----	----	2636	----

Tire Size	Roadmaster	DUO Grip	Nu-Way	Grader
18.00-26	----	----	----	2636
18.00-33	----	----	----	2642
18.4-16.1	----	DUO264	0774	----
18.4-24	0883	DUO268	0777	----
18.4-26	0883	DUO271	----	----
18.4-28	0884	DUO271	----	----
18.4-30	0885	DUO271	0785	----
18.4-34	0887	DUO273	0787	----
18.4-38	0889	DUO272	0789	----
18.4-42	0894	DUO277	----	----
18.4-46	----	DUO277	----	----
19.5L-24	0883	DUO268	0777	----
19.5-32	----	----	----	----
20.5-25	----	----	----	2633
20.8-34	----	DUO272	----	----
20.8-38	0892	DUO276	0790	----
21L-24	0885	DUO275	----	----
21.5L-16.1	----	DUO264	----	----
24.5-32	----	DUO282	----	----
23.1-34	----	DUO282	----	----
23.5-25	----	----	----	2645
26.5-25	----	----	----	2657
28.1-34	----	DUO282	----	----
29.5-25	----	----	----	2672
30.5R32	----	----	----	2657
41x14.00-20	0852	----	----	----
230/95R32	0838	DUO226	----	----
230/95R36	0856	----	----	----
230/95R44	----	DUO270	----	----
260/70R16	0829	----	----	----
270/95R44	0866	DUO232	----	----
280/70R20	0822	DUO225	----	----
290/90R38	0862	----	----	----
300/70R20	0822	DUO225	----	----
315/75D15	0822	DUO225	----	----
320/70T24	0852	----	----	----
320/85R24	0838	----	----	----
320/85R34	----	DUO242	----	----
320/85R38	0874	DUO260	----	----
320/90R46	----	DUO254	----	----
340/85R28	----	DUO260	----	----
355/80R20	0836	DUO226	----	----
360/70R20	0836	----	----	----
360/70R28	0859	----	----	----
380/70R20	0836	----	----	----
380/70R24	0858	----	----	----
380/85R34	0877	DUO260	----	----
380/90R50	----	DUO272	----	----
380/90R54	----	DUO277	----	----
420/80R46	0894	DUO272	----	----
420/85R28	0876	DUO262	0777	----
460/85R34	----	DUO272	----	----
480/80R46	----	DUO277	----	----
480/80R38	----	DUO272	----	----
480/85R34	----	DUO273	----	----
540/65R30	0884	DUO271	----	----
550/65R25	0884	DUO271	----	----
600/65R25	0887	DUO273	----	----
600/65R28	----	DUO271	----	----
620/70R42	----	DUO282	----	----
650/75R32	----	DUO282	----	----
710/70R38	----	----	----	2657
755/70R25	----	----	----	2657
800/65R32	----	----	----	2657

**TERMS: 1% - Ten (10) Days.
NET 30 Days.**

NU-WAY Tractor TIRE CHAINS

(Packed in drums)

Each group listed below will make a minimum of two full pair of the largest size chains. Instructions are placed in each drum.



NU-WAY Tractor Chains

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chains
7.2-24 8.3-24 9.5-24	0732	78	10	204
9.5-28 11.2-24	0736	91	12	204
9.5-32 11.2-28 12.5/80-18	0738	96	13	204
12.4-24	0752	105	12	206
12.4-28 13.6-24	0756	114	13	206
13.6-28	0759	130	15	206
11-38 11.2-44 12.4-40 12.4-42 13.6-38	0766	154	18	206
14.9-24	0772	132	12	210
14.9-28 16.9-24 18.4-16.1	0774	152	14	210
14.9-30 16.9-26 16.9-28 16.9-30 18.4-24	0777	163	15	210
19.5L-24 420/85R28				
14.9-38 15.5-38 16.9-34	0779	183	17	210
18.4-30	0785	195	16	211
16.9-38 18.4-34	0787	206	17	211
18.4-38	0789	218	19	211
20.8-38	0790	251	19	212



Roadmaster tractor chains also available in Square Links for increased durability and traction.



Roadmaster Tractor Chains

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chains
9.5-16 10-16.5 260/70R16	0829	53	9	6434
8.3-24 10.5/80-18 12-16.5 280/70R20 300/70R20	0822	62	11	6434
315/75D15				
7.2-24 9.5-24 12.5/80-18	0832	70	12	6434
9.5-28 11.2-24 15-19.5 355/80R20 360/70R20	0836	82	12	6445
380/70R20				
41x14.00-20 320/70R24	0852	91	13	6445
9.5-32 11.2-28 12.4-24 12.4-28 230/95R32	0838	95	14	6445
320/85R24				
230/95R36	0856	105	15	6445
9.5-36 9.5-38 11.2-38 12.4-36 12.4-38	0862	125	18	6445
290/90R38				
13.6-16 14-17.5	0850	76	10	7420
13.6-24 13.6-26 380/70R24	0858	106	14	7420
13.6-28 14.9-24 360/70R28	0859	105	15	7420
14.9-26 14.9-28	0869	120	16	7420
12.4-40 12.4-42 13.6-36 13.6-38 270/95R44	0866	142	19	7420
16.9-24 17.5-24 17.5L-24 320/85R38	0874	123	15	7426
14.9-30 16.9-26 16.9-28 420-85R16	0876	130	16	7426
380/85R34	0877	142	17	7426
15.5-38 16.9-34	0879	150	18	7426
18.4-24 18.4-26 19.5L-24	0883	167	13	9562
18.4-28 540/65R30 550/65R25	0884	181	14	8562
16.9-30 18.4-30 21L-24	0885	191	15	9562
18.4-34 600/65R25	0887	205	16	9562
18.4-38	0889	217	17	9562
14.9-46 18.4-42 4200/80R46	0894	250	19	9562

Repair Parts & Accessories

TERMS: 1% - Ten (10) Days. NET 30 Days.

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Cross Chain Twist Link Case Hardened




Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
6/0	9/32"	0.281	1.250	0.450	9.6	65
7/0	5/16"	0.312	1.106	0.532	11	77
9/0	3/8"	0.375	1.265	0.598	9.5	124
11/0	7/16"	0.437	1.520	0.732	7.9	166
14/0	17/32"	0.531	1.657	0.800	7.24	254

Cross Chain Straight Square Link Case Hardened



Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
8.2 mm	(5/16)	0.387	1.30	0.43	9.23	100
10.0 mm	(3/8)	0.472	1.38	0.51	8.7	165
12.0 mm	(7/16)	0.567	1.77	0.63	6.78	230

Side Chain Straight Link



Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
6/0	(9/32)	0.281	1.693	0.374	7.1	60
7/0	(5/16)	0.312	1.929	0.473	6.22	68
9/0	(3/8)	0.375	2.165	0.670	5.5	104
11/0	(7/16)	0.437	2.165	0.846	5.5	140
14/0	(17/32)	0.531	2.559	0.716	4.69	208

Cross Chain Hooks



Stock Number	Material Size Inches	Material Size Decimal	Part Number	Description	Std. Package Qty.	Weight Per Package Lbs.	
177	3/16	.177	7901-177-04	PAS. CAR (1100 & 1900)	50	2	
230	13/64	.207	7901-230-04	PAS. CAR (1200 & 1800)	50	3	
250	1/4	.250	7901-250-02	LIGHT TRUCK	50	4	
271	5/16	.312	7901-271-02	7/OHK MEDIUM TRUCK	50	8	
290	3/8	.375	7901-290-02	9/OHK HEAVY TRUCK	50	13	
320	13/32	.406	7901-320-02	TRACTOR	50	16	
317	7/16	.437	7901-317-02	11/0 HK GRADERS	50	22	
314	13/32	.406	7901-314-02	NU-WAY TRACTOR	50	19	
*451	7/16	.437	7990-451-25	*9/0 SWIVEL HOOK	50	11	
450	9/16	.536	7990-450-23	11/0 SWIVEL HOOK	50	23	
9/0 Ruggo	For use w/9/0 Cross Chain						65

FREIGHT: Prepaid on shipments of 2,000 lbs. or more.
Less than 2,000 lbs. F.O.B. warehouse location.


Repair Parts & Accessories



TOLL FREE 800-247-2400

Chain Pliers

For servicing all sizes of tire chains. Weight packed – 8 lbs.
Length – 33 1/2" overall. One per bag.




QUICK LINK

Zinc plated. Not for lifting applications.



Trade Size	Weight Per Pcs	Lot Qty.
3/16	.04	120
1/4	.08	60
5/16	.17	24
3/8	.31	12
1/2	.55	6



Tire Chain Tightener
Chain Tightener HD

713

714



End Fasteners

Part No.	Description	Prod. Quantity Box
713	Med./Heavy Truck	12
714	Heavy Grader	1



Side Chain End Fasteners

Part No.	Side Chain Size	Prod. Quantity Box
#80H	6/0, 7/0, 9/0	30
1/2" Chain Shackles	11/0, 14/0	10



NOTE: All Roadmaster Tractor Tire Chains are also available in "square wire" design. Made of fine grained nickel-manganese alloy steel, the design prevents twisting and the track chain links are always in an upright position. **Call 1-800-247-2400.**



TOLL FREE 800-247-2400



Chain Slings

TERMS: 1% - Ten (10) Days. **NET 30 Days.**

FREIGHT: Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

MADE TO ORDER, READY TO SHIP WITHIN 24 HOURS

Grade 100 Alloy Lifting Chain Slings

Recommended for overhead lifting. Chain and components are heat-treated and proof tested for the published work-load limits. A durable metal tag is attached to each chain sling, identifying the work-load limit, grade, type and the serial number for each specific sling.

Single Leg Chain Slings:

Also available with self-locking, foundry hooks



Chain Dia.	Working Load
9/32"	4,300 lbs
5/16"	5,700 lbs
3/8"	8,800 lbs
1/2"	15,000 lbs
5/8"	22,600 lbs
3/4"	35,300 lbs

CO - Single chain sling with master link on each end
 ASOS - Adjustable chain sling with master link and sling hook
 SSS - Single chain sling with sling hook on each end
 SGS - Single chain sling with a grab hook and a sling hook

SOS - Single chain sling with master link and sling hook
 SOG - Single chain sling with master link and grab hook
 SGG - Single chain sling with a grab hook on each end

Double Leg Chain Slings:

Also available with self-locking, foundry hooks




Chain Dia.	Work Load 60°	Work Load 45°	Work Load 30°
9/32"	7,400 lbs	6,100 lbs	4,300 lbs
5/16"	9,900 lbs	8,100 lbs	5,700 lbs
3/8"	15,200 lbs	12,400 lbs	8,800 lbs
1/2"	26,000 lbs	21,200 lbs	15,000 lbs
5/8"	39,100 lbs	32,000 lbs	22,600 lbs
3/4"	61,100 lbs	49,900 lbs	35,300 lbs

DOS - Double chain sling with master link and sling hooks
 DOG - Double chain sling with master link and grab hooks

ADOS - Adjustable double chain sling with master link and sling hooks

Triple and Quadruple Leg Chain Slings:

Also available with self-locking, foundry hooks and adjustable slings



Chain Dia.	60°	40°	30°
9/32"	11,200 lbs	9,100 lbs	6,400 lbs
5/16"	14,800 lbs	12,100 lbs	8,500 lbs
3/8"	22,900 lbs	18,700 lbs	13,200 lbs
1/2"	39,000 lbs	37,800 lbs	22,500 lbs
5/8"	58,700 lbs	47,900 lbs	33,900 lbs
3/4"	91,700 lbs	74,900 lbs	53,000 lbs

TOS - Triple chain sling with master link and sling hooks
 QOS - Quadruple chain sling with master link and sling hooks

TOG - Triple chain sling with master link and grab hooks
 QOG - Quadruple chain sling with master link and grab hooks

Never exceed work load limit. Always follow your domestic safety regulations.

WWW.CENTRALSANDS.COM • 800-247-2400

MADE TO ORDER, READY TO SHIP WITHIN 24 HOURS

Grade 100 Alloy Lifting Chain Slings

Recommended for overhead lifting. Chain and components are heat-treated and proof tested for the published work-load limits. A durable metal tag is attached to each chain sling, identifying the work-load limit, grade, type and the serial number for each specific sling.

Grade 100 Alloy Lifting Chain



Trade Size Inches	Working Load Lbs.	Approx. Weight For 100 Feet	Feet Per Drum
9/32	4,300	72 lbs.	800
5/16	5,700	94 lbs.	500
3/8	8,800	150 lbs.	400
1/2	15,000	260 lbs.	200
5/8	22,600	370 lbs.	150
3/4	35,300	555 lbs.	100
7/8	42,700	720 lbs.	100



WELDED MASTER LINK ASSEMBLIES

Part #	Trade Size	WLL 4:1 (lbs)	WLL 5:1 (lbs)	Weight (lbs)	Inside Dim. Masters (in)			Inside Dim. Subs (in)			For Chain
					i-length	i-width	dia	i-length	i-width	dia	
AKX1813W	3/4 (11/16)	11,200	8,960	2.90	5.91	3.54	0.71	2.13	0.98	0.51	9/32"
AKX2216	7/8	15,200	12,160	4.88	6.30	3.54	0.87	2.76	1.34	0.63	9/32"+ 5/16"
AKX2618	1	26,000	20,800	7.39	7.09	3.94	1.02	3.35	1.57	0.71	3/8"
AKX3222	1-1/4	39,000	31,200	13.24	7.87	4.33	1.26	4.53	1.97	0.87	1/2"
AKX3626	1-1/2	58,700	46,960	21.98	10.24	5.51	1.42	5.51	2.56	1.02	5/8"
AKX5132	2	91,700	73,360	51.26	13.78	7.48	2.01	5.91	2.76	1.26	3/4"
AKX5136	2	110,900	88,720	56.76	13.78	7.48	2.01	6.69	2.95	1.42	7/8"
AKX5740	2-1/4	155,100	124,080	77.44	15.75	7.87	2.24	6.69	3.15	1.57	1"

WELDED MASTER LINKS

Part #	Trade Size	WLL 4:1 (lbs)	WLL 5:1 (lbs)	Weight (lbs)	Inside Dimensions (in)			Chain Size	
					i-length	i-width	dia	1 leg	2 leg
AX13	1/2	6,000	4,800	0.75	4.33	2.36	0.51	9/32" + 5/16"	7/32"
AX16W	5/8	8,600	6,880	1.47	5.51	3.15	0.63	5/16"	9/32"
AX18W	3/4 (11/16)	12,900	10,320	2.02	5.91	3.54	0.71	3/8"	5/16"
AX22	7/8	17,600	14,080	3.30	6.30	3.54	0.87	1/2"	3/8"
AX26	1	30,000	24,000	5.06	7.09	3.94	1.02	5/8"	1/2"
AX32	1-1/4	39,100	31,280	8.58	7.87	4.33	1.26	3/4"	5/8"
AX36	1-1/2	61,100	48,880	13.97	10.24	5.51	1.42	7/8"	3/4"
AX45	1-3/4	74,000	59,200	28.16	13.39	7.09	1.77	1"	7/8"
AX51	2	103,400	82,720	37.84	13.78	7.48	2.01	1 1/4"	1"
AX57	2-1/4	178,900	143,120	53.24	15.75	7.87	2.24	-----	1 1/4"

CONNECTING LINK

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	C	O	R	P	S			
7/32	CLX06	0.55	0.71	0.71	1.77	0.31	0.30	0.15	3,000	
9/32	CLX07	0.63	0.79	0.75	2.05	0.41	0.35	0.31	4,300	
5/16	CLX08	0.71	0.98	0.91	2.44	0.47	0.37	0.44	5,700	
3/8	CLX10	0.91	1.18	1.06	2.76	0.47	0.47	0.77	8,800	
1/2	CLX13	1.06	1.54	1.34	3.54	0.79	0.67	1.63	15,000	
5/8	CLX16	1.30	1.57	1.54	4.13	0.87	0.81	2.56	22,600	
3/4	CLX20	1.65	1.81	1.81	4.45	1.14	0.98	4.52	35,300	
7/8	CLX22	1.93	2.17	2.28	5.24	1.18	1.10	6.83	42,700	
1	CLX26	2.24	3.35	3.25	7.56	1.57	1.18	14.99	59,700	

SHORTENING CLUTCH

For Chain Size	Part #	Dimensions (in)								PxL	Weight (lbs)	WLL (lbs)
		A	B	C	D	E	F	G				
7/32	CXX06	0.31	0.31	0.39	0.31	0.75	1.77	0.91	0.30x0.69	0.46	3,000	
9/32	CXX07	0.37	0.37	0.39	0.37	0.93	2.20	1.14	0.35x0.89	1.06	4,300	
5/16	CXX08	0.37	0.37	0.39	0.37	0.93	2.20	1.14	0.39x0.89	1.06	5,700	
3/8	CXX10	0.47	0.47	0.57	0.47	1.28	3.07	1.42	0.51x1.24	2.47	8,800	
1/2	CXX13	0.61	0.61	0.71	0.61	1.73	3.54	1.38	0.63x1.65	4.03	15,000	
5/8	CXX16	0.75	0.83	0.83	0.75	1.97	4.17	1.50	0.83x2.03	6.24	22,600	

CLEVIS SLING HOOK WITH FORGED LATCH

For Chain Size	Part #	Dimensions (in)								PxL	Weight (lbs)	WLL (lbs)
		A	A1	B	C	G	H	R				
7/32	CBX06SF	1.02	0.75	0.28	0.31	0.59	0.79	2.72	0.30x0.69	0.55	3,000	
9/32	CBX07SF	1.34	1.02	0.37	0.39	0.75	1.10	3.74	0.35x0.89	1.21	4,300	
5/16	CBX08SF	1.34	1.02	0.37	0.39	0.75	1.10	3.74	0.39x0.89	1.10	5,700	
3/8	CBX10SF	1.57	1.22	0.47	0.53	0.98	1.30	4.33	0.51x1.16	2.20	8,800	
1/2	CBX13SF	2.01	1.57	0.59	0.67	1.18	1.57	5.35	0.63x1.46	3.75	15,000	
5/8	CBX16SF	2.20	1.77	0.71	0.87	1.46	1.89	6.10	0.79x2.05	7.05	22,600	
3/4	CBX20SF	2.36	2.09	0.91	1.02	2.01	2.05	7.28	0.94x2.87	11.02	35,300	
7/8	CBX22SF	2.76	2.44	0.98	1.14	1.97	2.48	8.27	1.02x2.83	27.12	42,700	

CLEVIS GRAB HOOK WITH SADDLE

For Chain Size	Part #	Dimensions (in)								PxL	Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R	M				
7/32	CFX06	0.31	0.31	0.35	0.87	0.87	1.99	1.40	0.30x0.69	0.44	3,000	
9/32	CFX07	0.39	0.39	0.45	1.18	1.10	2.58	1.85	0.35x0.89	0.97	4,300	
5/16	CFX08	0.39	0.39	0.43	1.18	1.10	2.56	1.85	0.39x0.89	0.97	5,700	
3/8	CFX10	0.51	0.51	0.59	1.73	1.34	3.15	2.17	0.51x1.24	2.12	8,800	
1/2	CFX13	0.67	0.67	0.69	2.09	1.85	4.15	3.19	0.63x1.65	4.63	15,000	
5/8	CFX16	0.75	0.75	0.72	2.52	2.36	4.40	3.62	0.83x2.03	7.50	22,600	
3/4	CFX20	0.93	0.91	0.87	3.35	2.56	4.65	3.94	0.94x2.42	11.46	35,300	
7/8	CFX22	1.02	1.02	0.98	3.62	2.68	6.06	4.72	1.02x2.83	17.20	42,700	

CLEVIS SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)								PxL	Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R	T				
7/32	CRFX06	1.10	0.28	0.31	0.63	0.83	3.70	1.38	0.30x0.69	1.10	3,000	
9/32	CRFX07	1.34	0.35	0.39	0.79	1.02	4.84	1.69	0.35x0.89	2.09	4,300	
5/16	CRFX08	1.34	0.35	0.39	0.79	1.02	4.84	1.69	0.39x0.89	2.09	5,700	
3/8	CRFX10	1.77	0.47	0.55	0.98	1.18	5.63	2.20	0.51x1.24	3.53	8,800	
1/2	CRFX13	2.01	0.59	0.67	1.38	1.57	7.09	2.72	0.63x1.65	7.05	15,000	
5/8	CRFX16	2.36	0.75	0.75	1.42	1.97	8.46	3.15	0.83x2.03	13.23	22,600	
3/4	CRFX20	2.76	0.91	1.02	2.36	2.64	9.96	3.54	0.94x2.87	21.61	35,300	
7/8	CRFX22	3.23	1.02	1.26	2.44	2.76	11.30	3.94	1.02x2.83	31.75	42,700	

CLEVIS FOUNDRY HOOK

For Chain Size	Part #	Dimensions (in)								PxL	Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R					
7/32	CYFX06	2.11	0.33	0.26	0.87	1.02	3.58	0.30x0.69	1.54	3,000		
9/32	CYFX07	2.52	0.39	0.45	1.02	1.22	4.74	0.35x0.89	2.43	4,300		
5/16	CYFX08	2.52	0.39	0.45	1.02	1.22	4.74	0.39x0.89	2.43	5,700		
3/8	CYFX10	2.99	0.51	0.59	1.18	1.34	5.16	0.51x1.24	3.75	8,800		
1/2	CYFX13	3.50	0.67	0.69	1.57	1.75	5.83	0.63x1.65	7.94	15,000		
5/8	CYFX16	3.98	0.75	0.85	1.77	1.99	7.81	0.83x2.03	12.35	22,600		

EYE FOUNDRY HOOK

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	D	G	H	O	R			
7/32	CYX06	2.11	0.45	0.87	1.02	0.59	4.04	1.34	3,000	
9/32-5/16	CYX08	2.52	0.53	0.98	1.14	0.71	4.92	2.03	5,700	
3/8	CYX10	2.99	0.55	0.91	1.18	1.26	5.91	3.90	8,800	
1/2	CYX13	3.50	0.75	1.50	1.57	1.06	6.81	6.22	15,000	
5/8	CYX16	4.02	0.94	1.77	1.89	1.85	8.27	11.09	22,600	
3/4	CYX20	4.49	1.10	2.13	2.36	2.20	10.24	16.75	35,300	

EYE SLING HOOK WITH FORGED LATCH

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	A1	D	G	H	O	R		
7/32	CAX06SF	1.02	0.75	0.39	0.63	0.79	0.81	3.19	0.55	3,000
9/32-5/16	CAX08SF	1.30	1.02	0.43	0.75	1.14	0.98	3.98	1.10	5,700
3/8	CAX10SF	1.57	1.22	0.63	1.02	1.30	1.34	5.16	2.14	8,800
1/2	CAX13SF	2.01	1.57	0.75	1.30	1.65	1.69	6.26	4.19	15,000
5/8	CAX16SF	2.20	1.77	0.96	1.57	1.97	1.97	7.20	7.28	22,600
3/4	CAX20SF	2.36	2.05	1.06	1.89	2.09	2.17	7.99	9.92	35,300
7/8	CAX22SF	2.76	2.44	1.14	1.97	2.36	2.36	8.82	15.65	42,700
1	CAX26SF	3.03	2.87	1.38	2.36	2.95	2.76	10.12	26.46	59,700

EYE GRAB HOOK WITH SADDLE

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	D	G	H	O	R	M		
7/32	CDX06	0.31	0.33	0.87	0.87	0.47	2.03	1.40	0.40	3,000
9/32-5/16	CDX08	0.39	0.43	1.18	1.10	0.67	2.72	1.85	0.88	5,700
3/8	CDX10	0.51	0.59	1.73	1.34	0.87	3.41	2.17	1.94	8,800
1/2	CDX13	0.67	0.71	2.09	1.85	1.02	4.35	3.19	4.30	15,000
5/8	CDX16	0.75	0.83	2.52	2.36	1.26	5.08	3.62	7.05	22,600
3/4	CDX20	0.93	0.91	3.35	2.52	1.50	6.02	3.94	10.80	35,300
7/8	CDX22	1.02	1.02	3.62	2.56	1.61	7.09	4.76	16.53	42,700
1	CDX26	1.20	1.42	3.94	3.54	2.17	8.39	5.00	28.66	59,700

EYE SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	D	G	H	O	R	T		
7/32	CROX06	1.10	0.43	0.63	0.83	0.83	4.29	1.38	1.10	3,000
9/32-5/16	CROX08	1.34	0.47	0.79	1.02	0.98	5.31	1.69	2.12	5,700
3/8	CROX10	1.77	0.63	0.98	1.18	1.30	6.61	2.20	3.64	8,800
1/2	CROX13	2.01	0.79	1.38	1.57	1.57	8.07	2.72	7.16	15,000
5/8	CROX16	2.36	1.06	1.42	1.97	1.97	9.88	3.15	13.45	22,600
3/4	CROX20	2.76	1.18	2.36	2.64	2.36	11.42	3.54	21.61	35,300
7/8	CROX22	3.15	1.26	2.44	2.76	2.76	12.68	3.94	31.75	42,700

SWIVEL SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	B	O	D	G	H	R		
7/32	CRGX06	1.10	0.91	1.42	0.51	0.63	0.83	6.22	1.32	3,000
9/32-5/16	CRGX08	1.34	1.06	1.42	0.51	0.79	1.02	7.17	2.43	5,700
3/8	CRGX10	1.77	1.38	1.65	0.63	0.98	1.18	8.54	4.41	8,800
1/2	CRGX13	2.13	1.69	1.97	0.83	1.38	1.57	10.67	8.82	15,000
5/8	CRGX16	2.44	2.28	2.44	0.94	1.50	1.97	12.60	14.99	22,600

GRADE 30 PROOF COIL, STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
3/16	.95	.41	39 lbs.	800 lbs.	3,200 lbs.
1/4	1.02	.51	71 lbs.	1,300 lbs.	5,200 lbs.
5/16	1.15	.49	107 lbs.	1,900 lbs.	7,600 lbs.
3/8	1.31	.61	154 lbs.	2,650 lbs.	10,600 lbs.
1/2	1.56	.81	275 lbs.	4,500 lbs.	18,000 lbs.

Available in bright polished and electro galvanized finish. Not for lifting applications.

GRADE 43 HIGH TEST STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
1/4	1.02	.50	74 lbs.	2,600 lbs.	7,800 lbs.
5/16	1.15	.49	110 lbs.	3,900 lbs.	11,700 lbs.
3/8	1.30	.60	157 lbs.	5,400 lbs.	16,200 lbs.
1/2	1.56	.81	276 lbs.	9,200 lbs.	27,600 lbs.
5/8	1.87	1.06	386 lbs.	13,000 lbs.	39,000 lbs.
3/4	2.13	1.13	596 lbs.	20,200 lbs.	60,600 lbs.

Available in bright polished finish. Not for lifting applications.

GRADE 70 TRANSPORT (BINDING) STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
1/4	.88	.43	74 lbs.	3,150 lbs.	12,600 lbs.
5/16	1.15	.49	110 lbs.	4,700 lbs.	18,800 lbs.
3/8	1.30	.60	157 lbs.	6,600 lbs.	26,400 lbs.
1/2	1.56	.81	276 lbs.	11,300 lbs.	45,200 lbs.

Zinc plated with yellow chormate. Not for lifting applications.



LEVER & RATCHET STYLE LOAD BINDERS

Not for lifting applications.

For Chain Size Inch	Style	Working Load	Take Up In Inches	Weight Per Piece	Handle Length	Lot Qty.
5/16 - 3/8	Lever	5,400 lbs.	4 1/2	8 lbs.	15.43	6
5/16 - 3/8	Ratchet	6,600 lbs.	10	11 lbs.	15.50	6
3/8 - 1/2	Ratchet	9,200 lbs.	10	13 lbs.	15.50	6
1/2 - 5/8	Ratchet	13,000 lbs.	10	15 lbs.	15.50	1

SCREW PIN ANCHOR SHACKLES & D-SHACKLES

Galvanized, with alloy pin. Meets federal specification RR C-271D and ASTM A153.

Normal Body Size Inches	Work Load Limit, Tons	Pin Diameter Inches	Jaw Inside Width	Approximate Weight
3/16	1/3	.25	.38	.06
1/4	1/2	.31	.47	.10
5/16	3/4	.38	.53	.19
3/8	1	.44	.66	.31
7/16	1 1/2	.50	.75	.38
1/2	2	.63	.81	.72
5/8	3 1/4	.75	1.06	1.37
3/4	4 3/4	.88	1.25	2.35
7/8	6 1/2	1.00	1.44	3.62
1	8 1/2	1.13	1.69	5.03
1 1/8	9 1/2	1.25	1.81	7.41
1 1/4	12	1.38	2.03	9.50
1 3/8	13 1/2	1.50	2.25	13.53
1 1/2	17	1.63	2.38	17.20

ANCHOR SHACKLE



D-SHACKLE

6:1 Design Factor

CARGO CONTROL



Grade 70 Transport (Binding) chain assemblies with clevis Grab hooks on each end.

Zinc plated with yellow chromate. Not for lifting applications.

Trade Size Inch	Length	Working Loads	Weight Per Unit	Quantity Per Drum
5/16	16 feet	4,700 lbs.	19 lbs.	30 pcs.
5/16	20 feet	4,700 lbs.	24 lbs.	25 pcs.
3/8	16 feet	6,600 lbs.	28 lbs.	25 pcs.
3/8	20 feet	6,600 lbs.	34 lbs.	20 pcs.



CENTRAL SERVICE & SUPPLY, INC.

GRADE 70 CLEVIS SLIP HOOK



For Chain Size	Work Load Limit, Lbs.	Weight Pcs	Lot Qty.
1/4	3,150	.51	100
5/16	4,700	.75	100
3/8	6,600	1.21	50
1/2	11,300	2.82	25

Zinc plated with yellow chromate. Not for lifting applications.

GRADE 70 CLEVIS GRAB HOOK



For Chain Size	Work Load Limit, Lbs.	Weight Pcs	Lot Qty.
1/4	3,150	.04	100
5/16	4,700	.08	100
3/8	6,600	1.1	50
1/2	11,300	2.1	25

Zinc plated with yellow chromate. Not for lifting.



CENTRAL SERVICE & SUPPLY, INC.

TOLL FREE
800-247-2400





CENTRAL SERVICE & SUPPLY, INC.

TOLL FREE - **800-247-2400**

www.centernalsands.com

PRSRT STD
U.S. POSTAGE
PAID
Permit No. 491
Des Moines, IA



CENTRAL SERVICE & SUPPLY, INC.

Tire Chains ■ Industrial Chains ■ Chain Accessories



**4219 E. 50th St.
Des Moines, IA 50317
Phone: 515-964-8600
Fax: 515-309-0667**



"Like us on Facebook"