





# CENTRAL SERVICE & SUPPLY, INC.

**Tire Chains ■ Industrial Chains ■ Chain Accessories**



Toll Free: **800-247-2400**

Website: **[www.centernalsands.com](http://www.centernalsands.com)**

# Passenger Vehicle *TIRE CHAINS*

## Regular Highway Service Bar Reinforced

*(Packed four pair per master carton and one pair per plastic box)*



Rim Size	Tire Sizes	"PL" Passenger Link 1100 SERIES Stock No.	Sierra Cable Link 1900 SERIES Stock No.	Cable Chain 1000 SERIES Stock No.
<b>12 in.</b>	145R12	1110	1910	N/A
	P145/80R121	1110	1910	N/A
	155R12		11141910	1014
	P165/70R12	1110	1910	1014
	P175/70R12	1114	1914	1014
<b>13 in.</b>	135R13	1110	1910	N/A
	145R13	1114	1914	1014
	P145/80R13	1114	1914	1014
	155R13	1114	1914	1014
	P155/55R13	1110	1910	N/A
	P155/70R13	1114	1910	1014
	P155/80R13	1114	1914	1014
	160R13	1114	1914	1014
	165R13	1118	1918	1018
	P165/65R13	1114	1914	1018
	P165/70R13	1114	1914	1014
	P165/80R13	1118	1918	1018
	175R13	1122	1918	1026
	175/50R13	1114	1914	1014
	175/60R13	1114	1914	1014
	P175/70R13	1118	1918	1018
	P175/75R13	1118	1918	1018
	P175/80R13	1122	1918	1026
	185R13	1126	1926	1026
	P185/60R13	1118	1918	1018
	P185/70R13	1118	1918	1026
	P185/80R13	1122	1926	1022
	P185/85R13	1130	1930	1030
	195R13	1130	1930	1030
	P195/60R13	1126	1926	1026
	P195/70R13	1126	1926	1026
	P195/75R13	1130	1930	1030
	P205/60R13	1126	1926	1026
	P205/70R13	1126	1926	1030
	P215/50R13	1126	1926	1026
	P215/60R13	1126	1926	1026
	P215/65R13	1130	1930	1030
P235/50R13	1134	1934	1034	
P245/50R13	1134	1934	1034	
<b>14 in.</b>	P145/70R14	1114	1914	1014
	165R14	1122	1922	1026
	165/65R14	1114	1914	1018
	165/70R14	1118	1918	1018
	P165/75R14	1118	1918	1018
	175R14	1122	1922	1022
	P175/60R14	1118	1918	1018
	P175/65R14	1118	1918	1018
	P175/70R14	1126	1926	1026
	P175/75R14	1122	1922	1022
	P175/80R14	1122	1922	1022
	185R14	N/A	N/A	N/A

Rim Size	Tire Sizes	"PL" Passenger Link 1100 SERIES Stock No.	Sierra Cable Link 1900 SERIES Stock No.	Cable Chain 1000 SERIES Stock No.
<b>14 in.</b>	P185/55R14	1118	1918	1018
	P185/60R14	1126	N/A	1026
	P185/65R14	1126	1918	1026
	P185/70R14	1126	1926	1022
	P185/75R14	1130	1922	1030
	P185/80R14	1130	1930	1030
	195R14	1134	1934	1034
	P195/55R14	1126	1918	1026
	P195/60R14	1126	1926	1026
	P195/65R14	1126	1926	1030
	P195/70R14	1130	1926	1030
	P195/75R14	1130	N/A	1030
	205R14	1134	1934	1034
	205/55R14	1126	1926	1026
	P205/60R14	1130	1926	1026
	P205/70R14	1130	1930	1030
	P205/75R14	1134	N/A	N/A
	215R14	1138	1938	1038
	P215/60R14	1130	1930	1030
	P215/65R14	1130	1930	1030
	P215/70R14	1134	1930	1034
	P215/75R14	1134	1934	1034
	225R14	1138	1938	1038
	P225/60R14	1130	1930	1034
	P225/65R14	1134	1934	1034
	P225/70R14	1138	1934	1038
	P225/75R14	1138	1934	1038
	P235/60R14	1134	1934	1034
	P235/70R14	1138	1938	1038
	P245/50R14	1134	N/A	1030
	P245/60R14	1138	1934	1038
	P245/70R14	1142	1942	1042
P255/55R14	1138	1938	1038	
P255/60R14	1138	1938	1038	
P255/70R14	N/A	N/A	N/A	
P265/50R14	1138	1934	1038	
P265/60R14	1142	1942	1042	
P275/60R14	1142	1942	1042	
<b>15 in.</b>	135R14	1118	1914	1014
	145R14	1118	1918	1018
	P145/70R15	1118	1914	1018
	P145/80R15	1118	1918	1018
	155R15	1122	1918	1022
	P155/70R15	1118	1918	1018
	P555/80R15	1122	1922	1022
	165R15	1122	1922	1022
	P165/80R15	1122	1922	1022
	175R15	1130	1930	1030
P175/70R15	1122	1922	1022	
P180/65R15	1122	1922	1022	
185R15	1134	1934	1034	

# TIRE CHAINS Passenger Vehicle



**WARNING:** Check owner's manual to determine if SAE Class S chains are required. 1979 or later automobiles may have limited fender clearances; if so, use PL type chain.

**TERMS:** 1% - Ten (10) Days. NET 30 Days.


**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

Rim Size	Tire Sizes	"PL" Passenger Link 1100 SERIES Stock No.	Sierra Cable Link 1900 SERIES Stock No.	Cable Chain 1000 SERIES Stock No.
15 in.	P185/55R15	1126	1926	1026
	P185/60R15	1126	1926	1026
	P185/65R15	1126	1926	1030
	P185/70R15	1130	1926	1030
	P195/50R15	1126	1926	1026
	P195/55R15	1130	1926	1030
	195/60R15	N/A	N/A	N/A
	P195/60R15	1130	1926	1030
	195/65R15	1130	1930	1030
	P195/70R15	1130	1930	1034
	P195/75R15	1134	1930	1034
	205R15	1138	1938	1038
	P205/50R15	1130	1926	1030
	P205/55R15	1134	N/A	1034
	P205/60R15	1130	1930	1030
	P205/65R15	1134	1934	1034
	P205/70R15	1134	1934	1034
	P205/75R15	1134	1934	1034
	215R15	1142	1942	1042
	P215/50R15	1130	1930	1030
	P215/55R15	1134	1934	1034
	P215/60R15	1134	1934	1034
	P215/65R15	1134	1934	1038
	P215/70R15	1138	1934	1038
	P215/75R15	1138	N/A	N/A
	225R15	1142	1942	1042
	P225/50R15	1134	1930	1030
	P225/55R15	1134	1934	1034
	P225/60R15	1138	1934	1038
	P225/65R15	1130	1930	1030
	P225/70R15	1138	1938	1038
	P225/80R15	1142	1942	1042
	230R15	1142	1942	1042
	235R15	1142	1942	1042
	P235/60R15	1138	1934	1038
	P235/65R15	1138	1938	1038
	P235/70R15	1142	1938	1042
	P235/75R15	N/A	1942	N/A
	P245/50R15	1138	1938	1038
	P245/60R15	1142	1938	1042
	P255/55R15	1142	1942	1042
	P255/60R15	1142	1942	1042
P255/65R15	1142	1942	1042	
P265/50R15	1142	N/A	1042	
P265/60R15	1142	1942	1042	
P275/50R15	1142	1942	1042	
P295/50R15	N/A	1942	1042	
16 in.	P195/65R16	N/A	1934	N/A
	195/50R16	1130	1926	1030
	P195/55R16	1134	1934	1034
	P205R16	1134	1934	1038

Rim Size	Tire Sizes	"PL" Passenger Link 1100 SERIES Stock No.	Sierra Cable Link 1900 SERIES Stock No.	Cable Chain 1000 SERIES Stock No.
16 in.	P205/50R16	1134	1934	1034
	P205/55R16	1134	1930	1034
	P205/60R16	1134	1930	1034
	P205/65R16	1134	1934	1034
	P215/50R16	1134	1934	1034
	P215/55R16	1134	1934	1034
	P215/60R16	1138	1934	1034
	P215/65R16	1138	1938	1038
	215/70R16	1138	1938	1038
	P225/55R16	N/A	1934	1034
	P225/60R16	1138	1934	1038
	P225/65R16	1138	1938	1038
	P235/50R16	1134	1934	1038
	P235/55R16	1134	1934	1034
	P235/60R16	N/A	N/A	N/A
	P235/65R16	1138	1938	1038
	P245/45R16	N/A	N/A	1034
	P245/50R16	1142	1938	1042
	P245/55R16	1142	1942	1042
	P255/50R16	1142	1942	1042
17 in.	P205/50R17	1134	1934	1034
	P215/50R17	1138	1938	1038
	P215/55R17	1138	1934	1038
	P215/60R17	1142	1942	1042
	P215/65R17	1142	1938	1042
	P225/50R17	1138	1938	1038
	P225/55R17	1138	1938	1038
	P235/55R17	1138	1938	1042
	P245/50R17	1142	1942	1024
	P255/55R17	N/A	N/A	N/A
OTHER	P165/70R360	1118	1918	1018
	P165/70R365	1118	1918	1018
	P185/65R365	1126	1926	1026
	P180/65R390	1126	1926	1026
	P190/65R390	1130	1922	1030
	P220/55R390	1134	1934	1034
	P220/65R390	1138	1938	1038
235/710/460	N/A	N/A	N/A	



**TOLL FREE - 800-247-2400**



# Truck & SUV TIRE CHAINS

TERMS: 1% - Ten (10) Days.  
NET 30 Days.

**Regular Highway Service Bar Reinforced**  
(Packed one pair per bag)

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.


Rim Size	Tire Sizes	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE		
		Singles Regular/Cam	Dual Triples Dual	Singles Regular/Cam	Dual Triples Regular/Cam	Singles	Dual Triples	Singles	Dual Triples	
	2500	2200/3200	4200	2800/3800	4800	2000/3000	4000	2400	4400	
<b>14/14.5 in.</b>	E78-14LT	----	----	----	----	2009	----	----	----	
	E78-14ST	----	----	----	----	2009	----	----	----	
	H70-14ST	2211R / CAM	----	2811R / CAM	----	----	----	----	----	
	H78-14ST	2211R / CAM	----	2811R / CAM	----	----	----	----	----	
	7.00-14LT	2209R	----	2809R	----	2009	----	----	----	
	185-14	2209R	----	2809R	----	2009	----	----	----	
	P205/75R14	2209R	----	2809R	----	2009	----	----	----	
	195/75R14LT	2009R	----	2809R	----	2009	----	----	----	
	215/75R14LT	2216R / CAM	----	2816R / CAM	----	2016	----	----	----	
	27X8.50-14LT	2211R / CAM	----	2811R / CAM	----	2011	----	----	----	
	28X8.50-14	2209R	----	2809R	----	2009	----	----	----	
	9-14.5MH	2216R / CAM	----	2816R / CAM	----	2016	----	----	----	
	<b>15/15.5 in.</b>	H78-15ST	2211R / CAM	----	2811R / CAM	----	2011	----	----	----
		H78-15LT	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
LR78-15		2211R / CAM	----	2811R / CAM	----	2011	----	----	----	
NR78-15		2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412	
PR78-15		3227R / CAM	----	3827CAM	----	3027	----	----	----	
QR78-15		3231R / CAM	----	----	----	----	----	----	----	
6.70-15LT		2211R / CAM	----	2811R / CAM	----	2011	----	----	----	
7.00-15LT		2211R / CAM	----	2811R / CAM	----	2011	----	----	----	
7.00-15TR		2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----	
7.50-15LT		2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----	
7.50-15TR		2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2435	----	
8.25-15LT		3210R / CAM	----	3810CAM	----	3010	----	----	----	
8.25-15TR		2228R / CAM	4231CAM	2828R / CAM	----	2028	----	----	----	
9.00-15TR		2237R / CAM	----	2837R / CAM	----	2037	4037	2435	----	
10-15LT		3210R / CAM	----	3810CAM	----	3010	----	2441	4435	
10.00-15TR		2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	2441	4435	
11-15LT		3227R / CAM	----	3827CAM	----	3027	----	----	----	
11.00-15TR		2251R / CAM	4251R / CAM	2851R / CAM	4851R / CAM	----	----	----	----	
12-15LT		3229R / CAM	----	3829CAM	----	3029	----	----	----	
P215/75R15		2211R / CAM	----	2811R / CAM	----	2011	----	----	----	
P225/75R15		2216R / CAM	----	2816R / CAM	----	2016	----	----	----	
P235/75R15		2216R / CAM	----	2816R / CAM	----	2016	----	----	----	
P245/65R15		2229R / CAM	----	2829R / CAM	----	2029	----	----	----	
P245/70R15		2229R / CAM	----	2829R / CAM	----	2029	----	2437	4412	
P255/70R15		2229R / CAM	----	2829R / CAM	----	2029	----	2437	4412	
P255/75R15		----	----	----	----	----	----	----	----	
P265/70R15		2229R / CAM	----	2829R / CAM	----	2029	----	----	----	
P265/75R15		2229R / CAM	----	2829R / CAM	----	2029	----	----	----	
P275/60R15	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2437	4412		
P315/70R15	3229R / CAM	----	3829CAM	----	3029	----	----	----		
195/75R15LT	2211R / CAM	----	2811R / CAM	----	2011	----	----	----		
215/75R15LT	2216R / CAM	----	2816R / CAM	----	2016	----	----	----		
235/75R15LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----		
245/70R15LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----		
245/75R15LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----		
245/85R15LT	----	----	----	----	----	----	----	----		
255/65R15LT	----	----	----	----	----	----	2437	4412		
255/75R15LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----		
265/70R15LT	3210R / CAM	----	3810CAM	----	3010	----	----	----		
265/75R15LT	3210 / CAM	----	3810CAM	----	3010	----	2437	4412		
275/60R15LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412		

# TIRE CHAINS Truck & SUV



**TOLL FREE 800-247-2400**

Rim Size	Tire Sizes 2500	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE	
		Singles Regular/Cam 2200/3200	Dual Triples Dual 4200	Singles Regular/Cam 2800/3800	Dual Triples Regular/Cam 4800	Singles 2000/3000	Dual Triples 4000	Singles 2400	Dual Triples 4400
<b>15/15.5 in.</b>	305/50R15	3210R / CAM	----	3810CAM	----	3010	----	----	----
	325/60R15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	29X9.50-15	2229R / CAM	----	2829 / CAM	----	2029	----	----	----
	30X9.50-15LT	2216R / CAM	----	2816R / CAM	----	2016	----	2437	4412
	31X9.50R15	----	----	----	----	----	----	----	----
	31X10.5-15LT	3210R / CAM	----	3810CAM	----	3010	----	2437	4412
	31X11.5-15LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	31X13.50-15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	32X11.5-15LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	32X12.5X15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	33X9.50-15LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	33X10.5X15	3210R / CAM	----	3810CAM	----	3010	----	2439	----
	33X12.50R15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	33X13.5-15	3227R / CAM	----	3827CAM	----	3027	----	----	----
	33X14X15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	33X14.5-15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	34X9.50-15	3227R / CAM	----	3827CAM	----	3027	----	----	----
	35X12.5X15	3231R / CAM	----	----	----	----	----	----	----
	35X13.5-15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	35X14-15	3235R	----	----	----	----	----	----	----
	35X14.5-15	3229R / CAM	----	3829CAM	----	3029	----	----	----
	35X15-15	3237R	----	----	----	----	----	----	----
	35X15.50-15	3237R	----	----	----	----	----	----	----
	35X16-15	3237R	----	----	----	----	----	----	----
	36X12.50-15	3235R	----	----	----	----	----	----	----
	36X14.5-15	3237R	----	----	----	----	----	----	----
	37X13-15	3231R / CAM	----	----	----	----	----	----	----
	37X13.5-15	3231R / CAM	----	----	----	----	----	----	----
	37X14.5-15	3251R	----	----	----	----	----	----	----
	38.5X14.5-15	3237R	----	----	----	----	----	----	----
38.5X15-15	3237R	----	----	----	----	----	----	----	
38.5X16-15	3265R	----	----	----	3065	----	----	----	
39.5X15-15	3251R	----	----	----	----	----	----	----	
39.5X18X15	3265R	----	----	----	3065	----	----	----	
40X17-15	3251R	----	----	----	----	----	----	----	
<b>16/16.5 in.</b>	LR78-16LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	PR78-16	3227R / CAM	----	3827CAM	----	3027	----	----	----
	QR78-16	2329R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	----	----
	6.50-16LT	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
	7.00-16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
	7.50-16LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	9.00-16LT	2237R / CAM	----	2837R / CAM	----	2037	4037	----	----
	11L16	3229R / CAM	----	3829CAM	----	3029	----	----	----
	P225/70R16	2216R / CAM	----	2816CAM	----	2016	----	----	----
	P225/75R16	2216R / CAM	----	2816CAM	----	2016	----	----	----
	P235/70R16	2229R / CAM	----	2829CAM	----	2029	----	----	----
	P245/70R16	2229R / CAM	----	2829CAM	----	2029	----	----	----
	P245/75R16	2221R / CAM	4221R / CAM	2821CAM	4821R / CAM	2021	----	----	----
	P255/65R16	2229R / CAM	----	2829CAM	----	2029	----	----	----
	P255/70R16	2229R / CAM	----	2829CAM	----	2029	----	----	----
	P265/70R16	3210R / CAM	----	3810CAM	----	3010	----	----	----
	P265/75R16	3210R / CAM	----	3810CAM	----	3010	----	----	----
	P275/60R16	2229R / CAM	----	2829CAM	----	2029	----	----	----
P275/70R16	2228R / CAM	4231CAM	2828R / CAM	----	2028	----	----	----	



# Truck & SUV TIRE CHAINS

TERMS: 1% - Ten (10) Days.  
NET 30 Days.

## Regular Highway Service Bar Reinforced (Packed one pair per bag)

Rim Size	Tire Sizes	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE	
		Singles Regular/Cam	Dual Triples Dual	Singles Regular/Cam	Dual Triples Regular/Cam	Singles	Dual Triples	Singles	Dual Triples
	2500	2200/3200	4200	2800/3800	4800	2000/3000	4000	2400	4400
<b>16/16.5 in.</b>	P285/60R16	3227R / CAM	----	3827CAM	----	3027	----	----	----
	205R16	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
	215/80R16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----
	215/85R16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
	225/75R16LT	2216R / CAM	----	2816R / CAM	----	2016	----	2435	----
	235/70R16LT	2229R / CAM	----	2829R / CAM	----	2029	----	2435	----
	235/75R16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----
	235/85R16LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	245/70R16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
	245/75R16LT	2229R / CAM	----	2829R / CAM	----	2029	----	2439	----
	245/85R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	255/65R16LT	2219R / CAM	4219R / CAM	2819R / CAM	----	2019	----	----	----
	255/70R16LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	255/75R16LT	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
	255/85R16LT	2228R / CAM	4231CAM	2828R / CAM	----	2021	----	----	----
	265/50R16LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	265/60R16LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	265/70R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	265/75R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	265/80R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	275/60R16LT	2229R / CAM	----	2829 / CAM	----	2029	----	----	----
	275/65R16LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	275/70R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	285/60R16LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	285/70R16LT	3229R / CAM	----	3829CAM	----	3029	----	----	----
	285/75R16LT	3227R / CAM	----	3827 / CAM	----	3027	----	----	----
	295/50R16LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	295/75R16LT	3229R / CAM	----	3829CAM	----	3029	----	----	----
	305/70R16LT	3229R / CAM	----	3829CAM	----	3029	----	----	----
	305/85R16LT	3229R / CAM	----	3829CAM	----	3029	----	----	----
	315/75R16LT	3229R / CAM	----	3829CAM	----	3029	----	2441	----
	325/80R16	3251R	----	----	----	----	----	----	----
	345/55R16LT	3231R / CAM	----	----	----	----	----	----	----
	365/65R16LT	3237R	----	----	----	----	----	----	----
	8.75-16LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----
	30X9.50-16	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	31X11.5-16	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	31x12.5-16	3228R	----	----	----	----	----	----	----
	32X9-16LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	32X10.00-16LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	32X11.5-16LT	3227R / CAM	----	3827RCAM	----	3027	----	----	----
	33X13.5-16	3227R / CAM	----	3827CAM	----	3027	----	----	----
	34X9X16	3227R / CAM	----	3827CAM	----	3027	----	----	----
	35X12.5X16LT	3231R / CAM	----	----	----	----	----	----	----
	35X13.5-16	3229R / CAM	----	3829CAM	----	3029	----	----	----
	35X14-16	3235R	----	----	----	----	----	----	----
	36X13-16	3229R / CAM	----	3829CAM	----	3029	----	----	----
	37X12.5-16	3231R / CAM	----	----	----	----	----	----	----
38X13X16	3231R / CAM	----	----	----	----	----	----	----	
38X14.5-16	3251R	----	----	----	----	----	----	----	
38.5X15-16	3265R	----	----	----	----	----	----	----	
39.5X15-16	3265R	----	----	----	----	----	----	----	
8.00-16.5	2216R / CAM	----	2816R / CAM	----	2016	----	----	----	

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

# TIRE CHAINS **Truck & SUV**



**TOLL FREE 800-247-2400**

Rim Size	Tire Sizes 2500	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE	
		Singles Regular/Cam 2200/3200	Dual Triples Dual 4200	Singles Regular/Cam 2800/3800	Dual Triples Regular/Cam 4800	Singles 2000/3000	Dual Triples 4000	Singles 2400	Dual Triples 4400
<b>16/16.5 in.</b>	8.75-16.5LT	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
	9.50-16.5LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	10-16.5LT	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	12-16.5LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	31X10.5-16.5LT	3227R / CAM	----	3827CAM	----	3027	----	----	----
	32X12.5-16.5LT	3229R / CAM	----	3829CAM	----	3029	----	----	----
	33X12.50R16.5	3229R / CAM	----	3829CAM	----	3029	----	----	----
	33X15.5-16.5	3229R / CAM	----	3829CAM	----	3029	----	----	----
	35X12.50-16.5	3231R / CAM	----	----	----	----	----	----	----
	36X12.50-16.5	3235R	----	----	----	----	----	----	----
	36X14-16.5	3235R	----	----	----	----	----	----	----
	37X12.5-16.5	3235R	----	----	----	----	----	----	----
	38X12.5X16.5	3231R / CAM	----	----	----	----	----	----	----
	38X15.5R16.5	3235R	----	----	----	----	----	----	----
	39.5X15-16.5	3235R	----	----	----	----	----	----	----
	39.5X18-16.5	3265R	----	----	----	----	3065	----	----
	40X17-16.5	3251R	----	----	----	----	----	----	----
42X15X16.5	3259R	----	----	----	----	----	----	----	
<b>17/17.5 in.</b>	7.00-17LT	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	7.50-17	2214R / CAM	----	2814CAM	----	2014	----	2439	----
	P235/65R17	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
	P235/70R17	3210R / CAM	----	3810CAM	----	3010	----	----	----
	P245/55R17	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P245/65R17	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P245/70R17	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P255/55R17	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P255/60R17	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P255/70R17	3210R / CAM	----	3810CAM	----	3010	----	----	----
	P255/75R17	----	----	----	----	----	----	----	----
	P265/70R17	3210R / CAM	----	3810CAM	----	3010	----	----	----
	P275/60R17	2229R / CAM	----	2829R / CAM	----	3010	----	----	----
	235/80R17	3210R / CAM	----	3810CAM	----	3010	----	2437	4412
	245/70R17LT	2214R / CAM	----	2814CAM	----	2014	----	----	----
	255/60R17	3210R / CAM	----	3810CAM	----	3010	----	----	----
	265/70R17LT	3210R / CAM	----	3810CAM	----	3010	----	----	----
	275/55R17	----	----	----	----	2029	----	----	----
	275/60R17	2229R / CAM	----	2829R / CAM	----	3010	----	----	----
	275/70R17	3229R / CAM	----	3829CAM	----	3029	----	----	----
	285/60R17	3227R / CAM	----	3827CAM	----	3027	----	----	----
	285/70R17	3227R / CAM	----	3827CAM	----	3027	----	----	----
	315/70R17LT	3231R / CAM	----	----	----	----	----	----	----
	305/45R17	3227R / CAM	----	3827CAM	----	3027	----	----	----
	325/70R17	3231R / CAM	----	----	----	----	----	----	----
	345/55R17	3231R / CAM	----	----	----	----	----	----	----
	355/70R17LT	3235R	----	----	----	----	----	----	----
	33X12.5-17	3229R / CAM	----	3829CAM	----	3029	----	----	----
	35X12.5-17	3229R / CAM	----	3829CAM	----	3029	----	----	----
	37X12.5-17	3221R / CAM	----	----	----	----	----	----	----
	37X13.5-17	3235R	----	----	----	----	----	----	----
	7-17.5LT	2211R / CAM	----	2811R / CAM	----	2011	----	----	----
8-17.5	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----	
8.50-17.5	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----	
9R17.5	2237R / CAM	----	2837R / CAM	----	2037	4037	----	----	



# Truck & SUV TIRE CHAINS

TERMS: 1% - Ten (10) Days.  
NET 30 Days.

## Regular Highway Service Bar Reinforced

(Packed one pair per bag)




Rim Size	Tire Sizes	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE	
		Singles Regular/Cam	Dual Triples Dual	Singles Regular/Cam	Dual Triples Regular/Cam	Singles	Dual Triples	Singles	Dual Triples
	2500	2200/3200	4200	2800/3800	4800	2000/3000	4000	2400	4400
17/17.5 In.	10R17.5	2237R / CAM	----	2837R / CAM	----	2037	4037	----	----
	11R17.5	2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	----	----
	14-17.5	3235R	----	----	----	----	----	----	----
	205/60R17.5	2209R	----	2809R	----	2009	----	----	----
	215/70R17.5	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
18 In. 7.00-18	215/75R17.5	2221R / CAM	4221R / CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
	225/70R17.5	2214R / CAM	----	2814CAM	----	2014	----	2439	----
	235/75R-17.5	3210R / CAM	----	3810CAM	----	3010	----	2441	4435
	2214R / CAM	----	2814CAM	----	2014	----	2439	----	----
	7.50-18	2233R / CAM	----	2833R / CAM	----	2033	----	----	----
	10.50/80-18	3229R / CAM	----	3829CAM	----	3029	----	----	----
	P235/50R18	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----
	P255/45R18	2219R / CAM	4219R / CAM	2819R / CAM	4819R / CAM	2019	----	----	----
	P255/55R18	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	P265/60R18	3227R / CAM	----	3827CAM	----	3027	----	----	----
	255/55R18	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	255/55R18	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
	275/55R18	3210R / CAM	----	3810CAM	----	3010	----	----	----
	275/65R18	3228R	----	----	----	----	----	----	----
	275/70R18	2228R / CAM	4231CAM	2828R / CAM	----	2028	----	----	----
285/60R18	3227R / CAM	----	3827R / CAM	----	3027	----	----	----	
305/60R18	3231R / CAM	----	----	----	----	----	----	----	
325/60R18	3229R / CAM	----	3829CAM	----	3029	----	----	----	
325/65R18	3231R / CAM	----	----	----	----	----	----	----	
355/65R18	3251R / CAM	----	----	----	----	----	----	----	
38X15.5-18	3265R	----	----	----	3065	----	----	----	
19/19.5 In.	285/45R19	3227R / CAM	----	3827CAM	----	3027	----	----	----
	8-19.5	2214R / CAM	----	2814CAM	----	2014	----	2439	----
	15-19.5	3265R	----	----	----	3065	----	----	----
	19.5-19.5	3261R	----	----	----	----	----	----	----
	225/70R19.5	2228R / CAM	4231CAM	2828R / CAM	----	2028	----	2439	----
245/70R19.5	2228R / CAM	4231CAM	2828R / CAM	----	2028	----	2439	----	

Rim Size	Tire Size	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE		XLDG	
		Singles Regular/Cam	Dual Triples Regular/Cam	Singles Regular/Cam	Dual Triples Regular/Cam	Singles	Dual Triples	Singles	Dual Triples	Singles	Dual Triples
		2200/3200	4200	2800/3800	4800	2000/3000	4000	2400	4400	2200 XDLG	4200 XDLG
19/19.5 In.	265/70R19.5	2241R / CAM	4241CAM	2841R / CAM	4841R / CAM	2041	4041	----	----	2241XDLG	4241XDLG
	285/70R19.5	3235R	----	----	----	2037	4037	----	----	----	----
	445/65R19.5	3271R	----	----	----	3071	----	----	----	----	----
20 In.	6.5-20	2233R / CAM	----	2833R / CAM	----	2033	----	----	----	----	----
	7.00-20	2233R / CAM	----	2833R / CAM	----	2033	----	----	----	----	----
	7.50-20	2237R / CAM	----	2837R / CAM	----	2037	4037	2441	4435	----	----
	8.25-20	2239R / CAM	4239R / CAM	2839CAM	4839R / CAM	2039	4039	2441	4435	----	----
	9.00-20	2241R / CAM	4241R / CAM	2841R / CAM	4841R / CAM	2041	4041	2445	4437	2241XDLG	4241XDLG
	10.00-20	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	4045	2448	4448	2245XDLG	4245XDLG
	11.00-20	2251R / CAM	4251R / CAM	2851R / CAM	4851R / CAM	----	----	2452	4461	----	----
	12.00-20	2255R / CAM	4255R	2855R	4855R	----	----	2486	4486	----	----
	13.00-20	2257R	4257R	2857R / CAM	----	----	----	----	----	----	----
	13/80R20	2255R / CAM	4255R	2855R	4855R	----	----	2486	4486	----	----
14.00-20	2271R	----	2871R	----	----	----	----	----	----	----	
14/80R20	2257R	4257R	2857R / CAM	----	----	----	----	----	----	----	



**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

# TIRE CHAINS Truck & SUV




**TOLL FREE 800-247-2400**

Rim Size	Tire Size	HIGHWAY SERVICE		V-BAR		CABLE		MUD SERVICE		XLDG		
		Singles Regular/Cam	Dual Triples Regular/Cam	Singles Regular/Cam	Dual Triples Regular/Cam	Singles	Dual Triples	Singles	Dual Triples	Singles	Dual Triples	
		2200/3200	4200	2800/3800	4800	2000/3000	4000	2400	4400	2200 XDLG	4200 XDLG	
<b>20 in.</b>	275/55R20	2228R / CAM	4231CAM	2828R / CAM	-----	3027	-----	-----	-----	-----	-----	
	275/60R20	3227R / CAM	-----	3827CAM	-----	3027	-----	-----	-----	-----	-----	
	P285/50R20	3227R / CAM	-----	3827CAM	-----	3027	-----	-----	-----	-----	-----	
	305/55R20	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----	-----	-----	
	325/60R20	3231R / CAM	-----	-----	-----	-----	-----	-----	-----	-----	-----	
	355/60R20	3259R	-----	-----	-----	-----	-----	-----	-----	-----	-----	
	355/80R20	3255R / CAM	-----	-----	-----	3055	-----	-----	-----	-----	-----	
	365/80R20	2257R	4257R	2857R / CAM	-----	-----	-----	-----	-----	-----	-----	
	35X12.5-20	3231R / CAM	-----	-----	-----	-----	-----	-----	-----	-----	-----	
	37X13.50-20	3251R	-----	-----	-----	-----	-----	-----	-----	-----	-----	
	38X15.5-20	3265R	-----	-----	-----	3065	-----	-----	-----	-----	-----	
	<b>21-22.5 in.</b>	14.00R21	2271R	-----	2871R	-----	-----	-----	-----	-----	-----	-----
		10.00-22	2249R / CAM	4249R / CAM	2849R CAM	4849R / CAM	2049	4049	2452	4461	2249XDLG	4249XDLG
11.00-22		2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486	-----	-----	
37X13.50-22		3251R	-----	-----	-----	-----	-----	-----	-----	-----	-----	
40X15.50-22		-----	-----	-----	-----	3065	-----	-----	-----	-----	-----	
10-22.5		2241R / CAM	4241R / CAM	2841R / CAM	4841R / CAM	2041	4041	2445	4437	2241XDLG	4241XDLG	
8-22.5		2237R / CAM	-----	2837R / CAM	-----	2037	4037	-----	-----	-----	-----	
9-22.5		2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	2441	4435	-----	-----	
11-22.5		2245R / CAM	4245R / CAM	2845CAM	4845CAM	2045	4045	2448	4448	2245XDLG	4245XDLG	
12-22.5		2251R / CAM	4251R / CAM	2851R / CAM	4851R / CAM	2049	4049	2452	4461	-----	-----	
12.5-22.5		2251R / CAM	4251R / CAM	2851R / CAM	4851R / CAM	2049	4049	-----	-----	-----	-----	
13-22.5		3255R / CAM	-----	-----	-----	3055	-----	-----	-----	-----	-----	
15-22.5		3255R / CAM	-----	-----	-----	3055	-----	-----	-----	-----	-----	
16.5-22.5		3271R	-----	-----	-----	3071	-----	-----	-----	-----	-----	
18-22.5		3261R	-----	-----	-----	-----	-----	-----	-----	-----	-----	
225/70R22.5		2237R / CAM	-----	2837R / CAM	-----	2037	4037	-----	-----	-----	-----	
235/80R22.5		2237R / CAM	-----	2837R / CAM	-----	2037	4037	2441	4435	-----	-----	
245/75R22.5		2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	2441	4435	-----	-----	
255/70R22.5		2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	2441	4435	-----	-----	
255/80R22.5		2239R / CAM	4239R / CAM	2839CAM	4839CAM	2039	4039	2441	4435	-----	-----	
265/75R22.5		2241R / CAM	4241R / CAM	2841R / CAM	4841R / CAM	2041	4041	2445	4437	2241XDLG	4241XDLG	
275/70R22.5		2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	4045	2448	4448	2245XDLG	4245XDLG	
275/80R22.5		2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2041	4041	2452	4461	2245XDLG	4245XDLG	
295/75R22.5		2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2041	4041	2452	4461	2247XDLG	4247XDLG	
295/R8022.5		2251R / CAM	4251R / CAM	2851R / CAM	4851R / CAM	-----	-----	2470	4470	-----	-----	
315/R8022.5		2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486	-----	-----	
385/65R22.5		3255R / CAM	-----	-----	-----	3055	-----	-----	-----	-----	-----	
425/65R22.5	3271R	-----	-----	-----	3069	-----	-----	-----	-----	-----		
445/50R22.5	3269R / CAM	-----	-----	-----	3069	-----	-----	-----	-----	-----		
445/65R22.5	3261R	-----	-----	-----	-----	-----	-----	-----	-----	-----		
455/55R22.5	3269R / CAM	-----	-----	-----	3069	-----	-----	-----	-----	-----		
<b>24-24.5 in.</b>	11.00-24	2253CAM	-----	-----	-----	-----	-----	2470	4470	-----	-----	
	12.00-24	2257R	4257R	2875R / CAM	-----	-----	-----	-----	-----	-----	-----	
	13.00-24	2271R	-----	2871R	-----	-----	-----	-----	-----	-----	-----	
	14.00-24	2273R	-----	2873R	-----	-----	-----	-----	-----	-----	-----	
	11.00-24.5	2249R / CAM	4249R / CAM	2849R / CAM	4849R / CAM	2049	4049	2452	4461	2249XDLG	4249XDLG	
	12-24.5	2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486	-----	-----	
	275/80R24.5	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2045	4045	2452	4461	2247XDLG	4247XDLG	
	285/75R24.5	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2045	4045	2452	4461	2247XDLG	4247XDLG	

# Snow Blower & Garden Tractor *TIRE CHAINS*

*(Packed one pair per bag)*



**TERMS:** 1% - Ten (10) Days. NET 30 Days.

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more.  
Less than 2,000 lbs. F.O.B. warehouse location.

**Can't find the chain  
you're looking for?**

**Call 800-247-2400.  
We'll find what you  
want and ship it to you  
the same day and at a  
very competitive price.**



TIRE SIZE Size	SPECIFICATIONS			
	Two Link Stock No.	Two Link Wt. Per Pair	Four Link Stock No.	Four Link Wt. Per Pair
10/10.5 x 2.75	3301G	3	----	----
10.25 x 3.25	3301G	3	----	----
10 x 3.50	3301G	3	----	----
12 x 3	3308G	3	----	----
4.10/3.50 x 4	7106G	3	----	----
3.40/3.00 x 5	7106G	3	----	----
4.10/3.50 x 5	3302G	4	----	----
4.10/3.50 x 6	3302G	4	----	----
12 x 3.50 x 6	3302G	4	----	----
12.25 x 3.50 x 6	3302G	4	----	----
5.30/4.50 x 6	3309G	7	----	----
13 x 5 x 6	7129G	6	----	----
4.00/4.80 x 8	1301G	11	----	----
5.00/5.70 x 8	3303G	16	----	----
16 x 6.50 x 8	3300G	12	----	----
15 x 6.00 x 6	3300G	12	----	----
18 x 6.50 x 8	3312G	14	----	----
18 x 8.50 x 8	3307G	15	3311G	10
18 x 9.50 x 8	3305G	16	3306G	9
20 x 10 x 8	7145G	20	5320G	13
20 x 10 x 10	7145G	20	5320G	13

TIRE SIZE Size	SPECIFICATIONS			
	Two Link Stock No.	Two Link Wt. Per Pair	Four Link Stock No.	Four Link Wt. Per Pair
20 x 8.00 x 10	1308G	19	5318G	11
20 x 8 x 8	1308G	19	5318G	11
6 x 12	5313G	19	5312G	11
23 x 7.50 x 12	5313G	19	5312G	11
8 X 12	4300G	22	4301G	13
23 X 8.50 X 12	4300G	22	4301G	13
12 x 12	5308G	30	5306G	17
26 x 12 x 12	5308G	30	5306G	17
27 x 12 x 12	5308G	30	5306G	17
23 x 9.50 x 12	5307G	25	5303G	15
23 x 10.50 x 12	5307G	25	5303G	15
24 x 12 x 12	7164G	25	7165G	15
8 x 15	1307G	28	1309G	17
25 x 8.50 x 14	1307G	28	1309G	17
27 x 8.5 x 15	1307G	28	1309G	17
27 x 9.50 x 15	5305G	32	5304G	21
29 x 12 x 15	5323G	66	5316G	41
31 x 15.5 x 15	5324G	108	9100G	66
33 x 12.5 x 15	5324G	108	9100G	66
8.00 x 16	1311G	32	1310G	19

# Tractor, Equipment & Off Road Vehicle *TIRE CHAINS*

*(Packed one pair per bag)*

Tire Size	Roadmaster 0800 Series	DUO Grip DUO Series	Nu-Way 0700 Series	Grader 2600 Serie
7.2-24	0832	----	0732	----
8.3-24	0822	----	0732	----
9.5-16	0829	----	----	----
9.5-24	0832	DU0214	0732	----
9.5-28	0836	DU0214	0736	----
9.5-32	0838	DU0226	0738	----
9.5-36	0862	DU0218	----	----
9.5-38	0862	DU0218	----	----
9.5-40	----	----	0746	----
9.5R40	----	----	0746	----
10-16.5	0829	----	----	----
10.5/80-18	0822	DU0225	----	----
11-38	----	DU0246	0766	----

Tire Size	Roadmaster 0800 Series	DUO Grip DUO Series	Nu-Way 0700 Series	Grader 2600 Series
11.2-24	0836	DU0214	0736	----
11.2-28	0838	DU0226	0738	----
11.2-32	0846	DU0218	----	----
11.2-34	0846	----	----	----
11.2-36	-846	----	0746	----
11.2-39	0862	DU0232	0746	----
11.2-38	----	----	----	----
11.2-44	----	DU0232	0766	----
12-16.5	0822	DU0225	----	----
12.4-24	0838	DU0229	0752	----
12.4-28	0856	DU0218	0756	----
12.4-36	0862	DU0232	----	----
12.4-38	0862	DU0232	0764	----

# TIRE CHAINS **Tractor, Equipment & Off Road Vehicle**



**TOLL FREE 800-247-2400**

Tire Size	Roadmaster 0800 Series	DUO Grip DUO Series	Nu-Way 0700 Series	Grader 2600 Series	V-Bar Grader 2900 Series
12.4-40	0866	----	0766	----	
12.4-42	0866	----	0766	----	
12.4-48	----	----	----	----	
12.5/80-18	0832	----	0738	----	
13.00-24	----	----	----	2612	2912
13.00-25	----	----	----	2612	2912
13.6-16	0850	----	----	----	
13.6-24	0858	DUO240	0756	----	
13.6-26	0858	DUO240	----	----	
13.6-28	0859	DUO260	0759	----	
13.6-36	0866	DUO246	0764	----	
13.6-38	0866	DUO246	0766	----	
13.9-36	----	DUO242	----	----	
14-17.5	0850	----	----	----	
14.00-20	----	----	----	2612	2912
14.00-21	----	----	----	2612	2912
14.00-24	----	----	----	2615	2915
14.00-25	----	----	----	2615	2915
14.9-24	0859	DUO240	0772	----	
14.9-26	0869	DUO250	----	----	
14.9-28	0869	DUO252	0774	----	
14.9-30	0876	DUO252	0777	----	
14.9-38	----	DUO254	0779	----	
14.9-46	0894	----	----	----	
15-19.5	0836	----	----	----	
15.5-25	----	----	----	2612	2912
15.5-38	0879	DUO254	0779	----	
16.00-20	----	----	----	2624	----
16.00-21	----	----	----	2624	----
16.00-24	----	----	----	2627	2917
16.00-25	----	----	----	2627	2917
16.9-24	0874	DUO260	0774	----	
16.9-26	0876	DUO262	0777	----	
16.9-28	0876	DUO262	0777	----	
16.9-30	0885	DUO271	0777	----	
16.9-32	----	DUO266	----	----	
16.9-34	0879	DUO270	0779	----	
16.9-38	----	DUO272	0787	----	

Tire Size	Roadmaster 0800 Series	DUO Grip DUO Series	Nu-Way 0700 Series	Grader 2600 Series
17.5-24	0874	DUO263	----	----
17.5L-24	0874	DUO263	----	----
17.5-25	----	----	----	2624
18.00-24	----	----	----	2636
18.00-25	----	----	----	2636
18.00-26	----	----	----	2636
18.00-33	----	----	----	2642
18.4-16.1	----	DUO264	0774	----
18.4-24	0883	DUO268	0777	----
18.4-26	0883	DUO271	----	----
18.4-28	0883	DUO271	----	----
18.4-30	0885	DUO271	0785	----

Tire Size	Roadmaster 0800 Series	DUO Grip DUO Series	Nu-Way 0700 Series	Grader 2600 Series
18.4-34	0887	DUO273	0787	----
18.4-38	0889	DUO272	0789	----
18.4-42	0894	DUO277	----	----
18.4-46	----	DUO277	----	----
19.5L-24	0883	DUO268	0777	----
19.5-32	----	----	----	----
20.5-25	----	----	----	2633
20.8-34	----	DUO272	----	----
20.8-38	----	DUO276	0790	----
21L-24	0885	DUO275	----	----
21.5L-16.1	----	DUO264	----	----
24.5-32	----	DUO282	----	----
23.1-34	----	DUO282	----	----
23.5-25	----	----	----	2645
26.5-25	----	DUO282	----	2657
28.1-34	----	DUO282	----	----
30.5R32	----	----	----	2657
41X14.00-20	0852	----	----	----
230/95R32	0838	DUO226	----	----
230/95R36	0856	----	----	----
230/95R40	0846	----	----	----
230/95R44	----	DUO270	----	----
260/70R16	0829	----	----	----
270/95R36	0846	----	----	----
270/95R44	0866	DUO232	----	----
280/70R20	0822	DUO225	----	----
290/90R38	0862	----	----	----
290/95R34	0846	----	----	----
300/70R20	0822	DUO225	----	----
315/75R15	0822	DUO225	----	----
320/70R24	0852	----	----	----
320/85R24	0838	----	----	----
320/85R34	----	DUO242	----	----
320/85R38	0874	DUO260	----	----
320/90R46	----	DUO254	----	----
340/85R28	----	DUO260	----	----
355/80R20	0836	DUO226	----	----
360/70R20	0836	----	----	----
360/70R28	0859	----	----	----
380/70R20	0836	----	----	----
380/70R24	0858	----	----	----
380/85R34	0877	DUO260	----	----
380/90R50	----	DUO272	----	----
380/90R54	----	DUO277	----	----
420/80R46	0894	DUO272	----	----
540/65R30	0885	DUO271	----	----
600/65R28	----	DUO271	----	----
620/70R42	----	DUO282	----	----
650/75R32	----	DUO282	----	----
710/70R38	----	----	----	2657
755/70R25	----	----	----	2657
800/65R32	----	----	----	2657

# Bulk, Continuous Tractor *TIRE CHAINS*

TERMS: 1% - Ten (10) Days.  
NET 30 Days.

(Packed in drums)

Each group listed below will make a minimum of two full pair of the largest size chains. Instructions are placed in each drum.



## Bulk Roadmaster

Group No.	Tire Sizes
DO-I	9.5-28; 9.5-32; 11.2-24; 11.2-28; 11.2-32;
DO-II	12.4-24; 12.4-28; 12.4-36; 12.4-38; 12.4-40; 11.2-38; 12.4-36; 12.4-38 12.4-42; 13.6-24; 13.6-26; 13.6-28; 13.6-36;
DO-III	14.9-24; 14.9-26; 14.9-28; 14.9-30; 14.9-38; 14.9-26; 14.9-28; 14.9-38; 13.9-42 15.5-38
DO-IV	16.9-24; 16.9-26; 16.9-28; 16.9-30; 16.9-32; 16.9-34; 15.5-38; 16.9-38 16.9-34; 16.9-38; 18.4-26; 18.4-28; 18.4-30;
DO-V	20.8-38; 23.1-36; 23.1-30; 23.1-34





## Bulk DUO-Grip

Group No.	Tire Sizes
RO-I	8.3-24; 9.5-16; 9.5-24
RO-II	11.2-24; 9.5-28; 11.2-28; 9.5-32; 11.2-34; 11.2-34; 11.2-36; 11.2-38 11.2-36; 12.4-24; 15.22-5; 12.4-28; 13.6-24;
RO-III	13.6-16; 13.6-24; 13.6-26; 13.6-28; 14.9-24; 13.6-38; 13.9-36 13.6-38; 12.4-42; 12.4-40; 13.6-36; 13.9-36;
RO-IV	16.9-24; 17.5L-24; 16.9-26; 16.9-28; 16.9-30;
RO-V	18.4-16; 21.5-16; 18.4-26; 19.5L-24; 18.4-24; 18.4-34; 18.4-38; 18.4-28; 18.4-30; 18.4-34; 18.4-38; 18.4-42

# Fork Lift *TIRE CHAINS*

Tire Size	Stock No.	Tire Size	Stock No.
6.00-12	6012	7.00-15	7015
6.50-10	6510	7.50-10	7510
6.90-9	6909	7.50-15	7515
7.00-12	7012	8.25-15	8215



## Tire Chain Tightener

Chain Tightener HD

## Chain Pliers

For servicing all sizes of tire chains. Weight packed – 8 lbs. Length – 33 1/2 " overall. One per bag.



## Side Chain End Fasteners

Part No.	Side Chain Size	Prod. Quantity Box
#80H	6/0, 7/0, 9/0	30
1/2" Chain Shackles	11/0, 14/0	10

713



## End Fasteners

Part No.	Description	Prod. Quantity Box
713	Med./Heavy Truck	12
714	Heavy Grader	1



## Wing Mount Grease



## Power Film Materials Release Coating

Resists sticking of concrete, clay, moist dirt, coal, lime, snow and other materials to equipment.

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more.  
Less than 2,000 lbs. F.O.B. warehouse location.

# Repair Parts & Accessories



**TOLL FREE 800-247-2400**

## Cross Chain Twist Link Case Hardened



Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
6/0	9/32"	0.281	1.250	0.450	9.6	65
7/0	5/16"	0.312	1.106	0.532	11	77
9/0	3/8"	0.375	1.265	0.598	9.5	124
9/0 TRACTOR	3/8"	0.375	1.718	0.598	6.9	115
11/0	7/16"	0.437	1.520	0.732	7.9	166
14/0	17/32"	0.531	1.657	0.800	7.24	254

## Cross Chain Straight Square Link Case Hardened



Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
8.2 mm	(5/16)	0.387	1.30	0.43	9.23	100
10.0 mm	(3/8)	0.472	1.38	0.51	8.7	165
12.0 mm	(7/16)	0.567	1.77	0.63	6.78	230

## Side Chain Straight Link



Trade Size	Material Diameter Inches	Wire Size Inches	Inside Link Length Inches	Inside Link Width Inches	Links Per Foot	Weight Per 100 Feet Lbs.
6/0	(9/32)	0.281	1.693	0.374	7.1	60
7/0	(5/16)	0.312	1.929	0.473	6.22	68
9/0	(3/8)	0.375	2.165	0.670	5.5	104
11/0	(7/16)	0.437	2.165	0.846	5.5	140
14/0	(17/32)	0.531	2.559	0.716	4.69	208

## Cross Chain Hooks



Stock Number	Material Size Inches	Material Size Decimal	Part Number	Description	Std. Package Qty.	Weight Per Package Lbs.	
177	3/16	.177	7901-177-04	PAS. CAR (1100 & 1900)	50	2	
230	13/64	.207	7901-230-04	PAS. CAR (1200 & 1800)	50	3	
250	1/4	.250	7901-250-02	LIGHT TRUCK	50	4	
271	5/16	.312	7901-271-02	MEDIUM TRUCK	50	8	
290	3/8	.375	7901-290-02	HEAVY TRUCK	50	13	
320	13/32	.406	7901-320-02	TRACTOR	50	16	
317	7/16	.437	7901-317-02	GRADERS	50	22	
314	13/32	.406	7901-314-02	NU-WAY TRACTOR	50	19	
*451	7/16	.437	7990-451-25	*9/0 SWIVEL HOOK	50	11	
450	9/16	.536	7990-450-23	11/0 SWIVEL HOOK	50	23	
9/0 Ruggo	For use w/9/0 Cross Chain						65

# Repair Parts & Accessories

**TERMS:** 1% - Ten (10) Days. NET 30 Days.

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

## Grade 80 Alloy Lifting Chain



Trade Size Inches	Working Load Lbs.	Approx. Weight For 100 Feet	Feet Per Drum
7/32	2,500	55 lbs.	328
9/32	3,500	72 lbs.	800
5/16	4,500	94 lbs.	500
3/8	7,100	150 lbs.	400
1/2	12,000	260 lbs.	200
5/8	18,100	370 lbs.	150
3/4	28,300	555 lbs.	100
7/8	34,200	720 lbs.	100
1	47,700	1000 lbs.	100

## General Utility Straight Link Steel Chain



Made of carbon steel, not heat treated. Bright polished finish. Not for lifting applications.

Trade Size Inches	Material Dia. Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Qty./Drum Feet
6/0	9/32	1.693	.374	60 lbs.	1,000
7/0	5/16	1.929	.473	68 lbs.	800
9/0	3/8	2.165	.671	104 lbs.	500
11/0	7/16	2.331	.846	140 lbs.	350
14/0	17/32	2.559	.716	208 lbs.	300

Also available in Grade 50 type 316L stainless steel. Galvanized Grade 80 Alloy Lifting Chain at same work load available on special orders.

## SPARE LATCH KIT, Forged



For Sling Hook	Code
7/32	CKS08
9/32+5/16*	CKS08
3/8	CKS10
1/2	CKS13
5/8	CKS16
3/4	CKS20

## Also Available Upon Request:



### CLEVIS CHOKER HOOK

Size: 9/32" x 1/2"



### CLEVIS C HOOK

Size: 9/32" x 1/2"



## Welded Master Link, Grade 80 Red -

**5:1 Design factor for use with wire rope.**

Please allow additional delivery time for alloy in galvanized finish with same Work Load Limit. Also available in Grade 50 type 316L stainless steel.

Trade Size Inches	Code	Work Load Limit Lbs. 5:1 SF	Inside Width (Inches)	Inside Length (Inches)	Weight Lbs.	Suited For Chain Size	
						1 leg	2 leg
1/2	A13	4,900	2.36	4.33	.75	7/32 + 9/32	7/32
5/8	A16	7,100	2.36	4.33	1.17	5/16	9/32
3/4	A18	11,500	2.95	5.31	1.76	3/8	5/16
7/8	A22	14,500	3.54	6.30	3.32	1/2	3/8
1	A26	24,300	3.94	7.09	5.06	5/8	1/2
1 1/4	A32	35,200	4.33	7.87	8.58	3/4	5/8
1 1/2	A36	49,000	5.51	10.24	13.97	7/8	3/4
1 3/4	A45	59,000	7.10	13.40	28.20	1	7/8
2	A50	72,000	7.50	13.80	36.30	1 1/4	1



TRUCK

Have you ever experienced warm tires melting the hard pak or ice?  
Have you ever experienced slipping while on a dock ramp on a slight incline?  
Have you ever had to pay for an expensive tow truck just to be towed a few feet?

Then it's time you purchased

## EMERGENCY TIRE CHAINS

for your truck and car! Fits tire sizes 16" through 24.5"



PASSENGER CAR



**CENTRAL SERVICE & SUPPLY, INC.**

TOLL FREE

**800-247-2400**



**SAME DAY SHIPPING!**

# Repair Parts & Accessories

TOLL FREE **800-247-2400**

## Working Load Limit Chart (lbs.)

Chain Size	Single-90°	Double-60°	Double-45°	Double-30°	Triple/Quad-60°	Triple/Quad-45°	Triple/Quad-30°
9/32"	3,500	6,000	4,900	3,500	9,000	7,400	5,200
3/8"	7,100	12,200	10,000	7,000	18,300	14,900	10,600
1/2"	12,000	20,700	17,000	12,000	31,100	25,400	18,000
5/8"	18,100	31,300	25,600	18,100	47,000	38,300	27,100
3/4"	28,300	48,900	40,000	28,300	73,400	59,900	42,400
7/8"	34,200	59,200	48,300	34,200	88,800	72,500	51,200
1"	47,700	82,500	67,400	47,700	123,800	101,100	71,500

## Over Head Lifting Sling Configurations

Type	Description
CO	Single Chain Sling with Master Link each end
SGG	Single Chain Sling with Grab Hook each end
SOS	Single Chain Sling with Master Link & Slip Hook
SGS	Single Chain Sling with Grab Hook & Slip Hook
SOG	Single Chain Sling with Master Link & Grab Hook
ASOS	Adjustable Sling Chain with Master Link & Slip Hook
SSS	Single Chain Sling with Slip Hook each end
ASOG	Adjustable Sling Chain with Master Link & Grab Hook
DOS	Double Chain Sling with Master Link & Slip Hook
DOG	Double Chain Sling with Master Link & Grab Hook
ADOG	Adjustable Double Chain Sling with Master Link & Grab Hook
ADOS	Adjustable Double Chain Sling with Master Link & Slip Hook
TOS	Triple Chain Sling with Master Link & Slip Hook
QOS	Quadruple Chain Sling with Grab Link & Slip Hook
TOG	Triple Chain Sling with Master Link & Grab Hook
QOG	Quadruple Chain Sling with Grab Hook & Grab Hook

**Phone Toll Free For Pricing  
800-247-2400**




**NOTE:** All Roadmaster Tractor Tire Chains are also available in "square wire" design. Made of fine grained nickel-maganese alloy steel, the design prevents twisting and the track chain links are always in an upright position. **Call 1-800-247-2400.**



## Welded Master Link Assembly, Grade 80 Red - 5:1 Design Factor

Also available in type 316L stainless steel.


For Chain	Code	Work Load Limit Lbs. 5:1 SF	Trade Size Dia. In.	Sub Link Dia. In.	Sub Link Length In.	Sub Link Width In.	Overall Length In.	Weight Lbs.
7/32	AK813	8,800	3/4	1/2	2.13	.98	7.44	2.64
9/32+5/16	AK2216	14,100	7/8	5/8	2.76	1.34	9.05	5.06
3/8	AK2618	22,100	1	3/4	3.35	1.57	10.43	7.83
1/2	AK3222	35,300	1 1/4	7/8	4.53	1.97	12.41	13.31
5/8	AK3626	48,500	1 1/2	1	5.51	2.56	15.85	22.05



## Connecting Link Grade 80 Red

Alternative mechanical connecting links available in Grade 50 type 316L stainless steel.


For Chain	Code	Work Load Limit	A	Dimensions		Weight P	Lot Lbs.	Qty.
				C	R			
7/32	CL 06	2,500	.63	.71	1.69	.28	.15	20
9/32	CL 07	3,500	.73	.79	1.93	.33	.22	30
5/16	CL 08	4,500	.89	1.02	2.75	.37	.55	20
3/8	CL 10	7,100	.98	1.26	3.03	.47	.77	40
1/2	CL 13	12,000	1.18	1.38	3.35	.61	1.50	20
5/8	CL 16	18,100	1.30	1.57	4.05	.83	2.42	12
3/4	CL 20	28,300	1.73	1.89	4.57	.90	3.74	8
7/8	CL 22	34,200	1.93	2	5.24	1.04	4.84	5



## CLEVIS SLING HOOK GRADE 80 RED WITH FORGED LATCH


Also available in Grade 50 type 316L stainless steel.

For Chain	Code	Work Load Limit	A	Dimensions		Weight R	Lot Lbs.	Qty.
				G	H			
7/32	CB06SF	2,500	.98	.57	.79	2.87	.53	10
9/32+5/16*	CB08SF	4,500	1.16	.75	1.06	3.40	1.17	20
3/8	CB10SF	7,100	1.40	.92	1.30	4.13	2.09	24
1/2	CB13SF	12,000	1.71	1.12	1.57	5.06	3.67	20
5/8	CB16SF	18,100	2.20	1.45	1.89	6.10	6.60	4
3/4	CB20SF	28,300	2.40	1.81	2.04	7.20	12.54	1



## CLEVIS GRAB HOOK WITH SADDLE GRADE 80 RED

For Chain	Code	Work Load Limit	A	Dimensions		Weight R	Lot Lbs.	Qty.
				G	R			
7/32	CF06	2,500	.28	.88	1.61	.31	20	
9/32+5/16*	CF08	4,500	.39	1.18	1.97	.60	40	
3/8	CF10	7,100	.51	1.73	2.83	1.65	16	
1/2	CF13	12,000	.67	2.09	3.46	2.97	10	
5/8	CF16	18,100	.79	2.52	4.01	5.06	8	
3/4	CF20	28,300	.94	3.35	4.60	9.02	1	



## CLEVIS SAFETY HOOK GRADE 80 RED

For Chain	Code	Work Load Limit	G	Dimensions		Weight T	Lot Lbs.	Qty.
				H	R			
9/32+5/16*	CRF08	4,500	.79	1.02	4.84	1.70	2.05	18
3/8	CRF10	7,100	.98	1.18	5.63	2.20	3.48	8
1/2	CRF13	12,000	1.38	1.57	7.08	2.72	7.04	6
5/8	CRF16	18,100	1.42	1.97	8.46	3.15	13.09	1



Can't find the chain you're looking for?




Call us. Chances are we have it and can ship to you the same day AND at a very competitive price.



For Chain	Code	Work Load Limit	Dimensions			Weight F	Lot Lbs.	Qty.
			A,B	C	E			
7/32	CX6	2,500	.26	.31	.47	1.77	.35	10
9/32+5/16*	CX8	4,500	.34	.39	.63	244	.88	36
3/8	CX10	7,100	.49	.55	.98	3.46	2.07	16
1/2	CX13	12,000	.65	.67	1.25	4.53	4.22	8
5/8	CX16	18,100	.80	.75	1.53	5.63	6.95	8


## SHORTENING HOOK 80 RED

Alternative mechanical Shortening Clutches available in Grade 50 type 316L stainless steel.



For Chain	Code	Work Load Limit	Dimensions		Weight Lbs.	Lot Qty.
			A	R		
9/32+5/16*	CY08	4,500	2.52	5.16	2.02	18
3/8	CY10	7,100	2.30	5.90	3.89	8
1/2	CY13	12,000	3.50	7.52	6.21	6


## EYE FOUNDRY HOOK, GRADE 80 RED



For Chain	Code	Work Load Limit	A	Dimensions		Weight R	Lot Lbs.	Qty.
				G	H			
7/32	CA6SF	2,500	.98	.57	.79	3.17	.53	10
9/32+5/16*	CA8SF	4,500	1.16	.75	1.06	3.76	1.17	20
3/8	CA10SF	7,100	1.40	.92	1.30	4.74	2.09	24
1/2	CA13SF	12,000	1.71	1.12	1.57	5.90	3.67	20
5/8	CA16SF	18,100	2.20	1.45	1.89	7.20	6.60	4
3/4	CA20SF	28,300	2.40	1.81	2.04	8.56	12.54	1


## EYE SLING HOOK WITH FORGED LATCH, GRADE 80 RED

Also available in Grade 50 type 316L stainless steel.




For Chain	Code	Work Load Limit	A	Dimensions		Weight Lbs.	Lot Qty.
				G	R		
9/32+5/16*	CD08	4,500	.39	1.18	2.36	.06	40
3/8	CD10	7,100	.51	1.73	3.15	1.65	16
1/2	CD13	12,000	.67	2.09	4.09	2.97	10
5/8	CD16	18,100	.79	2.52	4.49	5.06	8
3/4	CD20	28,300	.94	3.35	5.20	9.02	1

## EYE BRAB HOOK WITH SADDLE, GRADE 80 RED



For Chain	Code	Work Load Limit	A	Dimensions		Weight Lbs.	Lot Qty.
				G	R		
9/32+5/16*	CRO08	4,500	1.34	.79	5.31	2.06	18
3/8	CRO10	7,100	1.77	.98	6.61	3.58	8
1/2	CRO13	12,000	2.00	1.39	8.07	7.15	6
5/8	CRO16	18,100	2.36	1.42	9.88	13.31	1

## EYE SAFETY HOOK, GRADE 80 RED



All alloy components have their size forged in inch fractions. All 9/32" Clevis Components fit & are rated also for 5/16" chain.

## GRADE 70 CLEVIS SLIP HOOK



For Chain Size	Work Load Limit, Lbs.	Weight Pcs	Lot Qty.
1/4	3,150	.51	100
5/16	4,700	.75	100
3/8	6,600	1.21	50
1/2	11,300	2.82	25

Zinc plated with yellow chromate. Not for lifting applications.

## GRADE 70 CLEVIS GRAB HOOK



For Chain Size	Work Load Limit, Lbs.	Weight Pcs	Lot Qty.
1/4	3,150	.04	100
5/16	4,700	.08	100
3/8	6,600	1.1	50
1/2	11,300	2.1	25

Zinc plated with yellow chromate. Not for lifting.

# Accessories

**TERMS:** 1% - Ten (10) Days. **NET 30 Days.**

**FREIGHT:** Prepaid on shipments of 2,000 lbs. or more. Less than 2,000 lbs. F.O.B. warehouse location.

## GRADE 30 PROOF COIL, STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
3/16	.95	.41	39 lbs.	800 lbs.	3,200 lbs.
1/4	1.02	.51	71 lbs.	1,300 lbs.	5,200 lbs.
5/16	1.15	.49	107 lbs.	1,900 lbs.	7,600 lbs.
3/8	1.31	.61	154 lbs.	2,650 lbs.	10,600 lbs.
1/2	1.56	.81	275 lbs.	4,500 lbs.	18,000 lbs.

Available in bright polished and electro galvanized finish. Not for lifting applications.

## GRADE 43 HIGH TEST STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
1/4	1.02	.50	74 lbs.	2,600 lbs.	7,800 lbs.
5/16	1.15	.49	110 lbs.	3,900 lbs.	11,700 lbs.
3/8	1.30	.60	157 lbs.	5,400 lbs.	16,200 lbs.
1/2	1.56	.81	276 lbs.	9,200 lbs.	27,600 lbs.
5/8	1.87	1.06	386 lbs.	13,000 lbs.	39,000 lbs.
3/4	2.13	1.13	596 lbs.	20,200 lbs.	60,600 lbs.

Available in bright polished finish. Not for lifting applications.

## GRADE 70 TRANSPORT (BINDING) STEEL CHAIN



Trade Size Inches	Inside Link Length Inch	Inside Link Width Inch	Weight Per 100 ft.	Work Load Limit, Lbs.	Breaking Strength
1/4	.88	.43	74 lbs.	3,150 lbs.	12,600 lbs.
5/16	1.15	.49	110 lbs.	4,700 lbs.	18,800 lbs.
3/8	1.30	.60	157 lbs.	6,600 lbs.	26,400 lbs.
1/2	1.56	.81	276 lbs.	11,300 lbs.	45,200 lbs.

Zinc plated with yellow chormate. Not for lifting applications.

## GRADE 70 DOUBLE CLEVIS CONNECTING LINK



For Chain Size	Work Load Limit, Lbs.	Weight Pcs	Jaw Space (Inches)	Lot Qty.
1/4 - 5/16	4,700	.32 lbs.	.47x.43	24
3/8	6,600	.44 lbs.	.53x.48	12
7/16 - 1/2	11,300	1.0 lbs.	.65x.63	6

Zinc plated with yellow chormate. Not for lifting applications.

## QUICK LINK Zinc plated. Not for lifting applications.



Trade Size	Weight Per Pcs	Lot Qty.
3/16	.04	120
1/4	.08	60
5/16	.17	24
3/8	.31	12
1/2	.55	6



## LEVER & RATCHET STYLE LOAD BINDERS

Not for lifting applications.

For Chain Size Inch	Style	Working Load	Take Up In Inches	Weight Per Piece	Handle Length	Lot Qty.
5/16 - 3/8	Lever	5,400 lbs.	4 1/2	8 lbs.	15.43	6
5/16 - 3/8	Ratchet	6,600 lbs.	10	11 lbs.	15.50	6
3/8 - 1/2	Ratchet	9,200 lbs.	10	13 lbs.	15.50	6
1/2 - 5/8	Ratchet	13,000 lbs.	10	15 lbs.	15.50	1

## SCREW PIN ANCHOR SHACKLES & D-SHACKLES

Galvanized, with alloy pin. Meets federal specification RR C-271D and ASTM A153.

Normal Body Size Inches	Work Load Limit, Tons	Pin Diameter Inches	Jaw Inside Width	Approximate Weight
3/16	1/3	.25	.38	.06
1/4	1/2	.31	.47	.10
5/16	3/4	.38	.53	.19
3/8	1	.44	.66	.31
7/16	1 1/2	.50	.75	.38
1/2	2	.63	.81	.72
5/8	3 1/4	.75	1.06	1.37
3/4	4 3/4	.88	1.25	2.35
7/8	6 1/2	1.00	1.44	3.62
1	8 1/2	1.13	1.69	5.03
1 1/8	9 1/2	1.25	1.81	7.41
1 1/4	12	1.38	2.03	9.50
1 3/8	13 1/2	1.50	2.25	13.53
1 1/2	17	1.63	2.38	17.20

### ANCHOR SHACKLE



### D-SHACKLE

6:1 Design Factor

## CARGO CONTROL



**Grade 70 Transport (Binding) chain assemblies with clevis Grab hooks on each end.**

Zinc plated with yellow chromate. Not for lifting applications.


Trade Size Inch	Length	Working Loads	Weight Per Unit	Quantity Per Drum
5/16	16 feet	4,700 lbs.	19 lbs.	30 pcs.
5/16	20 feet	4,700 lbs.	24 lbs.	25 pcs.
3/8	16 feet	6,600 lbs.	28 lbs.	25 pcs.
3/8	20 feet	6,600 lbs.	34 lbs.	20 pcs.



**CENTRAL SERVICE & SUPPLY, INC.**

## 2-PART HEAVY DUTY WIDE HANDLE 2" RATCHET STYLE WEBBING TIE DOWN ASSEMBLIES

For load securing. Meet DOT regulations.



Working Load	Breaking Strength	Fitting Style	Web Strap Width	Web Strap Length	Weight Per Unit	Lot Qty.
3,330 lbs.	10,000 lbs.	Flat Hook	2"	27 feet	6 lbs.	10
3,330 lbs.	10,000 lbs.	Flat Hook	2"	30 feet	6.05 lbs.	10

## 4" WINCH STRAP TIE DOWN ASSEMBLY

Use this assembly with the ratchet winches below to secure the cargo to flat-bed trucks and trailers. Meets D.O.T. and California Highway Patrol regulations.

Working Load	Breaking Strength	Fitting Style	Web Strap Width	Web Strap Length	Weight Per Unit	Lot Qty.
5,000 lbs.	15,000 lbs.	Flat Hook	4"	30 feet	4.6 lbs.	10

## RATCHET WINCHES & WINCH BAR for WEBBING ASSEMBLIES.

Meets D.O.T. and California Highway Patrol regulations.



Style	For Webbing Width	W.L.L.	Lbs./Pcs.	Lot Qty.
Standard, Weld-On	2" - 4"	5,000 lbs.	8 lbs.	10
Portable, Bolt-On	2" - 4"	5,000 lbs.	9 lbs.	10
Winch Bar			5 lbs.	10



**CENTRAL SERVICE & SUPPLY, INC.**

TOLL FREE - **800-247-2400**

Website - **www.centernalsands.com**

PRSRT STD  
U.S. POSTAGE  
PAID  
Permit No. 2451  
Des Moines, IA



**CENTRAL SERVICE & SUPPLY, INC.**

**Tire Chains ■ Industrial Chains ■ Chain Accessories**

